

LEGAL NOTICE
NOTICE TO CONTRACTORS

Sealed proposals will be received at the Office of the Napoleon Township Trustees, located at 203 West Main Street, Napoleon, Ohio until Monday, April 19, 2010 at 8:00 P.M. for the improvement of various Township roads:

SECTION A: Patching and Berming of Various Township Roads
SECTION B: Chipseal Various Township Roads

Napoleon Township, Henry County, Ohio, in accordance with estimates and specifications on file with the Napoleon Township Fiscal Officer.

Bids are to be submitted on a unit price basis.

The contracts will be awarded to the lowest, competent and responsible bidder.

Each bidder is required to file with his bid a bid guaranty in the form of either:

1. A bond for the full amount of the bid; or
2. A certified check, cashier's check or letter of credit pursuant to Chapter 1305 of the Ohio Revised Code, in the amount of ten (10%) percent of the bid price as guarantee that, if the contract be awarded on such bid, the bidder will enter into a contract and the performance of it will be properly secured.

The successful bidder, if using a (10%) bid guaranty, shall be required to provide a contract performance and payment bond for the full amount of the bid.

Estimated cost of the improvements is	SECTION A - \$48,614.00
	SECTION B - \$62,693.00

Prevailing Wage Rates per Section 4115 of the Ohio Revised Code shall prevail on this project.

The Board of Trustees reserves the right to award separate contracts for the above noted improvements. The Board of Trustees reserves the right to reject any or all bids.

BY ORDER OF
THE BOARD OF TRUSTEES
NAPOLEON TOWNSHIP
HENRY COUNTY, OHIO

Susan Witt, Fiscal Officer
P.O. Box 686
Napoleon, OH 43545

Please publish once in April 5, 2010 publication.

ROAD BIDDING BLANK

To: Board of Trustees
 Napoleon Township
 Henry County, Ohio

Date of Sale: Monday, April 19, 2010 @ 8:00 PM

Section A: Patching and Berming of Various Township Roads per attached description and specifications.

PROPOSAL

<u>Ref.#</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	448	230	Tons	Asphalt Concrete Surface Course, Type 1M (used for patching as directed by Township)	\$_____	\$_____
2	407	194	Gal.	Bituminous Tack Coat	\$_____	\$_____
3	617	434	Tons	Reconditioning Shoulders (Berming)	\$_____	\$_____
4	617	44	Tons	Spot Berming	\$_____	\$_____
5	614	1	L.S.	Maintaining Traffic	\$_____	\$_____
6	624	1	L.S.	Mobilization	\$_____	\$_____
7	103.05	1	L.S.	Contract Performance & Payment Bond	\$_____	\$_____
TOTAL AMOUNT OF BID – Section A						\$_____

Date of Sale: Monday, April 19, 2010 @ 8:00 P.M.

SECTION A: Patching and Berming of Various Township Roads

Prevailing Wage Rates per Section 4115 of the Ohio Revised Code shall prevail on this project. A copy of the applicable wage rates may be obtained from the State of Ohio Wage and Hour Division via the internet at the following web site:

<http://www.com.ohio.gov/laws>

Should the bidder not have access to the internet, a complete set of the applicable wage rates are available at the office of the Henry County Engineer. A copy will be provided if requested.

The successful bidder will be provided a hard copy of the prevailing wage rate as a part of the contract documents.

Any rate changes received from the State Wage and Hour Division during the term of the contract will be provided in hard copy to the Contractor.

Contractors are required to furnish the Township with a certificate of insurance in the minimum amount of \$1,000,000.00 primary and \$1,000,000.00 umbrella coverage. The Township, its elected office and employees shall be named as additional insured with respect to all activities under any agreement resulting from this bidding. The certificate of insurance shall provide that such insurance shall not be cancelled without thirty (30) days prior written notice to the Township. Contractors will replace certificate for any insurance expiring prior to the effective end date under any agreement resulting from this bidding.

Contractors shall maintain Worker's Compensation coverage as required by Ohio law. A copy of a valid Worker's Compensation certificate shall be submitted with the bid.

The Contractor shall indemnify and hold harmless the Township, its agents and employees from any and all losses, claims, damages, lawsuits, costs, judgments, expenses or any other liabilities which they may incur as a result of bodily injury, sickness, disease or death, or injury to or destruction of tangible property including the loss of use resulting therefrom, caused in whole or part by the negligent act or omission of the Contractor or any person directly or indirectly employed by any of them or any person for whose act any of them may be liable.

Accompanying this proposal is a bid guaranty in the form of either:

- 1) A bond for the full amount of the bid, on the above improvement; or
- 2) A certified check, cashier's check or letter of credit pursuant to Chapter 1305 of the Ohio Revised Code, in the amount of ten percent (10%) of the bid on the above improvements, payable to the order of the Board of Trustees, NAPOLEON TOWNSHIP, which check or bond is to be forfeited if, in case this proposal is accepted, the undersigned shall fail to execute a contract within ten (10) days of Notice of Award.

This contract shall be under the direct supervision of the Napoleon Township Trustees.

All items are approximate, and final measurement of completed items will govern final payment.

In the event of discrepancy between the unit and total price bid, the unit price shall prevail. The unit prices shall remain in effect and held firm for the term of this contract.

The Contractor shall be responsible for all construction one (1) year after project completion and acceptance. The Contractor shall make all corrections as necessary by reason of noted defects. The Trustees will give notice of observed defects with reasonable promptness. In the event that the Contractor fails to make repairs, adjustments or complete other work which may be required by such defects, the Trustees may do so and charge the Contractor the costs incurred.

The Board of Trustees reserve the right to reject any or all bids.

The resurfacing and berming work shall be completed on or before August 1, 2010.

For each calendar day that any work shall remain uncompleted after the stated completion date the appropriate sum, in accordance with the schedule of liquidated damages per Section 108.07 of the Standard Specifications of the State of Ohio Department of Transportation, will be deducted from any monies due the Contractor, not as a penalty but as liquidated damages; provided however, that due account shall be taken of any adjustment of the completion date granted by the Board of Trustees of Napoleon Township.

A work day will be counted as lost if the Contractor's efficiency is reduced more than fifty (50%) percent on the critical items under construction at that time. Weekends and holidays will not be counted as lost work days.

Submitted By: _____
CONTRACTOR


Address: _____

Signed By: _____
Name/Title

Phone Number

Fax Number

E-mail



FILE: 2010 NAPOLEON TOWNSHIP PAVING ENGINEER'S ESTIMATE
 RUN DATE : MARCH 15, 2010

ROAD	FROM	TO	LENGTH FT.	WIDTH FT.	ITEM 448-1 PATCH IN. #/SYD	TONS	GAL/SYD	ITEM 407 GAL	ITEM 617 IN.T	W	#/SYD	TONS	617 PATCH TONS	REMARKS	
1						0		0					0	1	
2						0		0					0	2	
3	<u>BERMING:</u>														
4	TWP. RD. R1	CO. LINE RD.	U.S. 6	9600	10	0		0	1.00	2.00	106	260	0	4	BERMING.
5	TWP. RD. O6	TWP. RD. O	CO. RD. 17	3100	19	0		0	1.00	2.00	106	84	0	5	BERMING.
6	TWP. RD. R	CO. RD. 15	TWP. RD. 14B	2640	16	0		0	1.25	2.00	133	90	0	6	BERMING.
7						0		0					0	7	
8						0		0					0	8	
9	<u>HOT MIX ASPHALT PATCHING:</u>														
10	TWP. RD. M2	AT RD. 17C INTERSECTION		50	12	1.25	139	6	0.05				0	10	NUMBER OF PATCHES - 1
11	TWP. RD. 17C	AT RD. M & RD. MI INTERSECTION:		200	16	1.25	139	30	0.05				0	11	NUMBER OF PATCHES - 4
12	TWP. RD. N	S.R. 108	EAST 250'	250	16	1.00	111	25	0.05				0	12	NUMBER OF PATCHES - 1
13	TWP. RD. O6	CO. RD. Z	S.R. 108	450	10	1.00	111	28	0.05				0	13	NUMBER OF PATCHES - 3
14	TWP. RD. R1	CO. LINE	U.S. 6	750	10	1.00	111	55	0.05				0	14	NUMBER OF PATCHES - 7
15	TWP. RD. 17	U.S.6	TWP. RD. S	150	12	1.00	111	11	0.05				0	15	NUMBER OF PATCHES - 1
16	TWP. RD. R	TWP. RD. 16	TWP. RD. 15A	3	16	1.00	111	1	0.05				0	16	NUMBER OF PATCHES - 1
17	TWP. RD. 14B	TWP. RD. R	TWP. RD. S	250	16	1.00	111	25	0.05				0	17	NUMBER OF PATCHES - 2
18	AS DIRECTED	BY TOWNSHIP					50	50					0	18	AS DIRECTED PATCHING.
19						0		0					0	19	
20	<u>PATCH BERMING:</u>														
21	TWP. RD. M2	AT RD. 17C INTERSECTION		100	12		0	0					3	21	PATCH BERMING
22	TWP. RD. 17C	AT RD. M & RD. MI INTERSECTION:		400	16		0	0					10	22	PATCH BERMING
23	TWP. RD. N	S.R. 108	EAST 250'	500	16		0	0					12	23	PATCH BERMING
24	TWP. RD. 17	U.S.6	TWP. RD. S	300	14		0	0					7	24	PATCH BERMING
25	TWP. RD. 14B	TWP. RD. R	TWP. RD. S	500	16		0	0					12	25	PATCH BERMING
							230	194				434	44		

SPECIFICATIONS:

- 1) O.D.O.T. CONSTRUCTION AND MATERIAL SPECIFICATIONS (DATED 2008) SHALL APPLY.
- 2) INTERSECTION APPROACHES ARE TO BE RESURFACED AS DIRECTED BY NAPOLEON TOWNSHIP TRUSTEES.
- 3) ITEM 617 STABILIZED CRUSHED AGGREGATE (BERMING) SHALL INCLUDE DRIVE APPROACHES AND MAILBOX TURNOUTS.
- 4) WARNING SIGNS SHALL BE ERECTED WHEN ITEM 617 (BERMING) HAS NOT BEEN PERFORMED. (LOW SHOULDER, ETC.)
- 5) ALL HAUL TRUCKS SHALL BE WITHIN LEGAL LOAD LIMITS.
- 6) ALL HAUL ROUTES SHALL BE APPROVED BY NAPOLEON TOWNSHIP TRUSTEES PRIOR TO PLACEMENT OF MATERIAL.
- 7) THREE WHEEL ROLLERS SHALL NOT BE USED ON 2010 PAVING PROJECTS.
- 8) IT SHALL BE THE CONTRACTORS RESPONSIBILITY TO CALL ROAD CLOSINGS TO SCHOOLS, SHERIFF'S OFFICE, ETC.
- 9) TEMPORARY CENTERLINE MARKING SHALL BE DONE AFTER SURFACE COURSES ARE COMPLETED ON ROADS GREATER THAN 16' IN WIDTH. INCLUDE THIS COST IN ITEM 448-1 SURFACE COURSE UNIT COST.
- 10) ITEM 617 STABILIZED CRUSHED AGGREGATE (BERMING) SHALL BE WETDOWN IN THE FIELD AS DIRECTED BY THE NAPOLEON TOWNSHIP TRUSTEES.
- 11) ALL TOWNSHIP ROADS SHALL BE PAVED FULL WIDTH.
- 12) COMPLETION DATE FOR RESURFACING AND BERMING SHALL BE AUGUST 1, 2010.
- 13) BINDER USED FOR 448-1 SHALL BE P.G. 64-22.
- 14) THE NAPOLEON TOWNSHIP TRUSTEES SHALL BE NOTIFIED OF THE SCHEDULING OF THE RESURFACING ONE WEEK PRIOR TO THE BEGINNING OF THE WORK. ALSO IF THE CONTRACTOR LEAVES NAPOLEON TOWNSHIP FOR ANOTHER JOB HE MUST GIVE AT LEAST THREE DAYS NOTICE BEFORE RETURNING.
- 15) ALL END JOINTS AND LONGITUDINAL JOINTS SHALL BE RIBBONED WITH ASPHALT CEMENT AS DIRECTED BY NAPOLEON TOWNSHIP TRUSTEES.
- 16) ALL HOT MIX ASPHALT (HMA) PATCHES SHALL BE FEATHERED @ EACH END TO PROVIDE A SMOOTH TRANSITION TO THE TRAVELING PUBLIC.
- 17) ALL ROAD LIMITS, PATCHES, RADIUS, ETC. , WILL BE MARKED OUT AHEAD OF RESURFACING BY THE NAPOLEON TOWNSHIP TRUSTEES.
- 18) CONTRACTOR NOTE: WHEN BERMING AT RESIDENTIAL YARD AREAS USE DESCRETION OR DO NOT BERM IF YARD (GRASS AREAS) ARE FLUSH WITH EDGE OF EXISTING PAVEMENT.

ROAD BIDDING BLANK

To: Board of Trustees
 Napoleon Township
 Henry County, Ohio

Date of Sale: Monday, April 19, 2010 @ 8:00 PM

Section B: Chipseal Various Township Roads

PROPOSAL

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	696	Ton	Seal Coat, aggregate No. 9a (washed), applied and compacted at 21 lbs. per square yard	\$_____	\$_____
2	409	21,200	Gal	Seal Coat, bituminous material applied at 0.32 gallons per square yard	\$_____	\$_____
3	409S	8.45	Miles	Brooming finished pavement	\$_____	\$_____
4	614	1	L.S.	Maintaining Traffic	\$_____	\$_____
5	624	1	L.S.	Mobilization	\$_____	\$_____
6	103.05	1	L.S.	Contract Performance & Payment Bond	\$_____	\$_____
TOTAL AMOUNT OF BID – Section B						\$_____

Date of Sale: Monday, April 19, 2010 @ 8:00 P.M.

SECTION B: Chipseal Various Township Roads

Prevailing Wage Rates per Section 4115 of the Ohio Revised Code shall prevail on this project. A copy of the applicable wage rates may be obtained from the State of Ohio Wage and Hour Division via the internet at the following web site:

<http://www.com.ohio.gov/laws>

Should the bidder not have access to the internet, a complete set of the applicable wage rates are available at the office of the Henry County Engineer. A copy will be provided if requested.

The successful bidder will be provided a hard copy of the prevailing wage rate as a part of the contract documents.

Any rate changes received from the State Wage and Hour Division during the term of the contract will be provided in hard copy to the Contractor.

Contractors are required to furnish the Township with a certificate of insurance in the minimum amount of \$1,000,000.00 primary and \$1,000,000.00 umbrella coverage. The Township, its elected office and employees shall be named as additional insured with respect to all activities under any agreement resulting from this bidding. The certificate of insurance shall provide that such insurance shall not be cancelled without thirty (30) days prior written notice to the Township. Contractors will replace certificate for any insurance expiring prior to the effective end date under any agreement resulting from this bidding.

Contractors shall maintain Worker's Compensation coverage as required by Ohio law. A copy of a valid Worker's Compensation certificate shall be submitted with the bid.

The Contractor shall indemnify and hold harmless the Township, its agents and employees from any and all losses, claims, damages, lawsuits, costs, judgments, expenses or any other liabilities which they may incur as a result of bodily injury, sickness, disease or death, or injury to or destruction of tangible property including the loss of use resulting therefrom, caused in whole or part by the negligent act or omission of the Contractor or any person directly or indirectly employed by any of them or any person for whose act any of them may be liable.

Accompanying this proposal is a bid guaranty in the form of either:

- 1) A bond for the full amount of the bid, on the above improvement; or
- 2) A certified check, cashier's check or letter of credit pursuant to Chapter 1305 of the Ohio Revised Code, in the amount of ten percent (10%) of the bid on the above improvements, payable to the order of the Board of Trustees, NAPOLEON TOWNSHIP, which check or bond is to be forfeited if, in case this proposal is accepted, the undersigned shall fail to execute a contract within ten (10) days of Notice of Award.

This contract shall be under the direct supervision of the Napoleon Township Trustees.

All items are approximate, and final measurement of completed items will govern final payment.

In the event of discrepancy between the unit and total price bid, the unit price shall prevail. The unit prices shall remain in effect and held firm for the term of this contract.

The Contractor shall be responsible for all construction one (1) year after project completion and acceptance. The Contractor shall make all corrections as necessary by reason of noted defects. The Trustees will give notice of observed defects with reasonable promptness. In the event that the Contractor fails to make repairs, adjustments or complete other work which may be required by such defects, the Trustees may do so and charge the Contractor the costs incurred.

The Board of Trustees reserve the right to reject any or all bids.

The chipseal work shall be completed on or before September 1, 2010.

For each calendar day that any work shall remain uncompleted after the stated completion date the appropriate sum, in accordance with the schedule of liquidated damages per Section 108.07 of the Standard Specifications of the State of Ohio Department of Transportation, will be deducted from any monies due the Contractor, not as a penalty but as liquidated damages; provided however, that due account shall be taken of any adjustment of the completion date granted by the Board of Trustees of Napoleon Township.

A work day will be counted as lost if the Contractor's efficiency is reduced more than fifty (50%) percent on the critical items under construction at that time. Weekends and holidays will not be counted as lost work days.

Submitted By: _____
CONTRACTOR


Address: _____

Signed By: _____
Name/Title

_____ Phone Number

_____ Fax Number

_____ E-mail



FILE : 2010 NAPOLEON TOWNSHIP CHIPSEAL ENGINEER'S ESTIMATE
 RUN DATE: MARCH 12, 2010

ROAD	FROM	TO	LENGTH FT	WIDTH FT	#/SYD	NO.8A TONS	#/SYD	NO.9A TONS	409 GAL/SYD	(MWS90) GAL	409S MILES	REMARKS
1	TWP. RD. M	TWP. LINE	S.R. 424	11150	12	0	21	156	0.32	4757	2.11	
2						0		0		0	0.00	
3	TWP. RD. 17C	TWP. RD. M	U.S. 24	10560	16	0	21	197	0.32	6007	2.00	HMA PATCHING, PRIOR TO CHIPSEAL.
4						0		0		0	0.00	
5	TWP. RD. 16B	TWP. RD. N	CO. RD. M1	4250	16	0	21	79	0.32	2418	0.80	
6						0		0		0	0.00	
7	TWP. RD. 14B	TWP. RD. R	TWP. RD. S	5280	16	0	21	99	0.32	3004	1.00	HMA PATCHING, PRIOR TO CHIPSEAL.
8						0		0		0	0.00	
9	TWP. RD. R1	CO. LINE RD.	U.S. 6	9600	10	0	21	112	0.32	3413	1.82	HMA PATCHING, PRIOR TO CHIPSEAL.
10						0		0		0	0.00	
11	TWP. RD. 17	U.S. 6	TWP. RD. S	3750	12	0	21	53	0.32	1600	0.71	HMA PATCHING, PRIOR TO CHIPSEAL.
12						0		0		0	0.00	
13						0		0		0	0.00	
						0		696		21200	8.45	

SPECIFICATIONS:

- 1) ITEM 409 SEAL COAT SHALL BE APPLIED BY THE CONTRACTOR PER (1997) O.D.O.T. CONSTRUCTION AND MATERIAL SPECIFICATIONS.
- 2) ITEM 409 SEAL COAT COVER AGGREGATE SHALL BE PAID BY THE TON RATHER THAN BY THE CUBIC YARD.
- 3) THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE ORDERING OF ALL MATERIALS.
- 4) ON ROADS WHICH REQUIRE TWO PASSES FOR COVERAGE, SUFFICIENT TIME SHALL PASS BEFORE THE JOINT IS SWEEP, AS DIRECTED BY THE NAPOLEON TOWNSHIP TRUSTEES.
- 5) ITEM 409S-BROOMING FINISHED PAVEMENT, SHALL BE PERFORMED WITHIN 24 HOURS AFTER NO. 8A AND NO. 9A SEALS HAVE BEEN COMPLETED.
- 6) ALL ROADS SHALL HAVE WARNING SIGNS PLACED WHEN UNDER CONSTRUCTION.
- 7) ALL TRUCKS SHALL HAUL WITHIN LEGAL LOAD LIMITS.
- 8) IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO CALL ROAD CLOSINGS TO SCHOOLS, SHERIFF'S OFFICE, ETC.
- 9) PNEUMATIC TIRE ROLLERS SHALL BE USED ON THE 2010 CHIP AND SEAL PROJECT.
- 10) ALL INTERSECTIONS SHALL BE SWEEP INWARDS APPROXIMATELY 500' FROM ADJOINING ROADS TO INSURE A SKID FREE SURFACE AND TO ELIMINATE EXCESS STONE AT INTERSECTIONS.
- 11) ALL INTERSECTION APPROACHES, BRIDGE APPROACHES, AND BRIDGE DECKS SHALL BE SEALED AS DIRECTED BY THE NAPOLEON TOWNSHIP TRUSTEES. THIS COST SHALL BE INCLUDED IN MAIN LINE SEALING.
- 12) ITEM 409S-BROOMING FINISHED SURFACE. THE CONTRACTOR MAY BE ASKED TO MAKE ADDITIONAL BROOMING PASSES AS DIRECTED BY THE NAPOLEON TOWNSHIP TRUSTEES.
- 13) BITUMINOUS MATERIAL USED SHALL BE MWS90.
- 14) COMPLETION DATE FOR NAPOLEON TOWNSHIP CHIPSEAL PROJECT SHALL BE SEPTEMBER 1, 2010.
- 15) THE GRADATION SPECIFICATION FOR NO. 8A AND NO. 9A AGGREGATE (WASHED) SHALL BE AS SHOWN BELOW:

	NO. 8A	NO. 9A
1/2	100	-
3/8	85-100	100
#4	0-15	85-100
#8	0-5	0-20
#16	0-2	0-5
#50	-	0-2

- 16) THE MINIMUM WIDTH OF THE CHIP SPREADER SHALL BE 20'.
- 17) ROADS SHALL BE SWEEP NO SOONER THAN 24 HOURS PRIOR TO CHIPSEAL APPLICATION.
- 18) ALL CONCRETE AND HOT MIX ASPHALT DRIVEWAYS SHALL BE SWEEP OUT AFTER ROADWAYS HAVE BEEN SWEEP.
- 19) O.D.O.T. ASPHALT BINDER ADJUSTMENT (MWS90) SHALL NOT APPLY TO THIS PROJECT.
- 20) POWER BROOMS SHALL BE SELF PROPELLED. (NO PULL TYPE BROOMS ALLOWED ON 2010 CHIPSEAL PROJECT.)