

LEGAL NOTICE  
NOTICE TO CONTRACTORS

Sealed proposals will be received at the residence of the Harrison Township Fiscal Officer, RaAnn Bauman, located at O-311 Road 8, Napoleon, Ohio until Tuesday, July 3, 2012 at 7:30 P.M. for the improvement of the following Township roads:

- a) Road P3 from the East property line of the Cemetery to Road 12
- b) Road P3 from Road 12 to U.S. 6
- c) Road 10 from Road M to Road N
- d) Road 9B from S.R. 110 to South 1,500 feet

Harrison Township, Henry County, Ohio, in accordance with estimates and specifications on file with the Harrison Township Fiscal Officer.

Bidding documents are available online at [www.henrycountyengineer.com](http://www.henrycountyengineer.com).

Bids are to be submitted on a unit price basis.

The contracts will be awarded to the lowest, competent and responsible bidder.

Each bidder is required to file with his bid a bid guaranty in the form of either:

1. A bond for the full amount of the bid; or
2. A certified check, cashier's check or letter of credit pursuant to Chapter 1305 of the Ohio Revised Code, in the amount of ten (10%) percent of the bid price as guarantee that, if the contract be awarded on such bid, the bidder will enter into a contract and the performance of it will be properly secured.

The successful bidder, if using a (10%) bid guaranty, shall be required to provide a contract performance and payment bond for the full amount of the bid.

Estimated cost of the improvements is       \$79,100.00

Prevailing Wage Rates per Section 4115 of the Ohio Revised Code shall prevail on this project.

The Board of Trustees reserves the right to award separate contracts for the above noted improvements. The Board of Trustees reserves the right to reject any or all bids.

BY ORDER OF  
THE BOARD OF TRUSTEES  
HARRISON TOWNSHIP  
HENRY COUNTY, OHIO

RaAnn Bauman, Fiscal Officer  
O-311 Road 8  
Napoleon, OH 43545

Please publish once in June 12, 2012 publication.

## ROAD BIDDING BLANK

To: Board of Trustees  
Harrison Township  
Henry County, Ohio

Date of Sale: Tuesday, July 3, 2012 @ 7:30 P.M.

**Road P3 from Edge of Cemetery Property to Road 12**

Length: 2,650 L.F. or 0.50 miles  
Width: 22 (Approx. 6,550 S.Y. including radius work)  
Type: Chip Seal, 1997 ODOT Spec 409, W/ Fog Seal

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	2,625	Gal	Seal coat bituminous material applied at 0.40 gallons per square yard	\$ _____	\$ _____
2	409	70	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	Spec. Fog Seal	820	Gal.	SS-1H Dilute 50/50, applied at 0.10 - 0.15 gallons per square yard	\$ _____	\$ _____
4	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
5	624	1	L.S.	Mobilization	\$ _____	\$ _____
6	103.05	1	L.S.	Contract Performance and Payment Bond	\$ _____	\$ _____
<b>TOTAL AMOUNT OF BID</b>						<b>\$ _____</b>

**Date of Sale:** Tuesday, July 3, 2012 @ 7:30 P.M.

**Harrison Township Road P3 from the Cemetery Property Line to Road 12**

All work and material contracted for seal coating shall meet the requirements of the 1997 State of Ohio, Department of Transportation, Construction and Material Specifications. All other work shall meet the requirements of the State of Ohio, Department of Transportation, Construction and Material Specifications in effect on the date of sale, together with any modifications to the same stated herein.

**Fog seal shall be applied no less than 7 days after chip seal work is performed.**

**Fog seal coat shall be applied to only one lane of traffic at a time. Fog seal shall not be applied to both lanes of traffic at the same time.**

Spreading and placement of asphalt shall be done with full width paving equipment.

“Formed” or “Butt Type” construction joints shall be constructed at all pavement termini unless otherwise directed by the Township Trustees.

The asphalt binder grade for all asphalt concrete specified shall be PG 64-22.

Aggregate used in the asphalt concrete mix and for seal coating shall be State approved quarry run mineral aggregate.

Cut back asphalt may be used on applicable bid items between the period of October 15<sup>th</sup> and April 15<sup>th</sup>.

There are no restricted construction dates for the use of cut backs for penetration prime coat, maintenance mix or dust control.

Prevailing Wage Rates per Section 4115 of the Ohio Revised Code shall prevail on this project. A copy of the applicable wage rates may be obtained from the State of Ohio Wage and Hour Division via the internet at the following web site:

<http://www.com.ohio.gov/laws>

Should the bidder not have access to the internet, a complete set of the applicable wage rates are available at the office of the Henry County Engineer. A copy will be provided if requested.

The successful bidder will be provided a hard copy of the prevailing wage rate as a part of the contract documents.

Any rate changes received from the State Wage and Hour Division during the term of the contract will be provided in hard copy to the Contractor.

Contractors are required to furnish the Township with a certificate of insurance in the minimum amount of \$1,000,000.00 primary and \$1,000,000.00 umbrella coverage. The Township, its elected office and employees shall be named as additional insured with respect to all activities under any agreement resulting from this bidding. The certificate of insurance shall provide that such insurance shall not be cancelled without thirty (30) days prior written notice to the Township. Contractors will replace certificate for any insurance expiring prior to the effective end date under any agreement resulting from this bidding.

Contractors shall maintain Worker's Compensation coverage as required by Ohio law. A copy of a valid Worker's Compensation certificate shall be submitted with the bid.

The Contractor shall indemnify and hold harmless the Township, its agents and employees from any and all losses, claims, damages, lawsuits, costs, judgments, expenses or any other liabilities which they may

incur as a result of bodily injury, sickness, disease or death, or injury to or destruction of tangible property including the loss of use resulting therefrom, caused in whole or part by the negligent act or omission of the Contractor or any person directly or indirectly employed by any of them or any person for whose act any of them may be liable.

Accompanying this proposal is a bid guaranty in the form of either:

- 1) A bond for the full amount of the bid, on the above improvement; or
- 2) A certified check, cashier's check or letter of credit pursuant to Chapter 1305 of the Ohio Revised Code, in the amount of ten percent (10%) of the bid on the above improvements, payable to the order of the Board of Trustees, HARRISON TOWNSHIP, which check or bond is to be forfeited if, in case this proposal is accepted, the undersigned shall fail to execute a contract within ten (10) days of Notice of Award.

This contract shall be under the direct supervision of the Harrison Township Trustees and the Henry County Engineer.

All items are approximate, and final measurement of completed items will govern final payment.

In the event of discrepancy between the unit and total price bid, the unit price shall prevail. The unit prices shall remain in effect and held firm for the term of this contract. ODOT Item 401.20 Asphalt Binder price adjustment does not apply.

The Contractor shall be responsible for all construction one (1) year after project completion and acceptance. The Contractor shall make all corrections as necessary by reason of noted defects. The Trustees will give notice of observed defects with reasonable promptness. In the event that the Contractor fails to make repairs, adjustments or complete other work which may be required by such defects, the Trustees may do so and charge the Contractor the costs incurred.

The Board of Trustees reserve the right to award separate contracts on the various roads described. The Board of Trustees further reserves the right to reject any or all bids.

The seal coating work shall be completed on or before August 31, 2012.

For each calendar day that any work shall remain uncompleted after the stated completion date the appropriate sum, in accordance with the schedule of liquidated damages per Section 108.07 of the Standard Specifications of the State of Ohio Department of Transportation, will be deducted from any monies due the Contractor, not as a penalty but as liquidated damages; provided however, that due account shall be taken of any adjustment of the completion date granted by the Board of Trustees of Harrison Township.

A work day will be counted as lost if the Contractor's efficiency is reduced more than fifty (50%) percent on the critical items under construction at that time. Weekends and holidays will not be counted as lost work days.

Submitted By: \_\_\_\_\_  
CONTRACTOR

Address: \_\_\_\_\_  
\_\_\_\_\_

Signed By: \_\_\_\_\_  
Name/Title

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

## ROAD BIDDING BLANK

To: Board of Trustees  
Harrison Township  
Henry County, Ohio

Date of Sale: Tuesday, July 3, 2012 @ 7:30 P.M.

**Road P3 from Road 12 to U.S. 6**

Length: 12,065 L.F. or 2.29 miles  
Width: 20 (Approx. 26,925 S.Y. including radius work)  
Type: Chip Seal, 1997 ODOT Spec 409, W/ Fog Seal

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	10,775	Gal	Seal coat bituminous material applied at 0.40 gallons per square yard	\$ _____	\$ _____
2	409	270	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	Spec. Fog Seal	3,370	Gal.	SS-1H Dilute 50/50, applied at 0.10 - 0.15 gallons per square yard	\$ _____	\$ _____
4	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
5	624	1	L.S.	Mobilization	\$ _____	\$ _____
6	103.05	1	L.S.	Contract Performance and Payment Bond	\$ _____	\$ _____
<b>TOTAL AMOUNT OF BID</b>						<b>\$ _____</b>

Road Bid Blank Continued

**Date of Sale:** Tuesday, July 3, 2012 @ 7:30 P.M.

**Harrison Township Road P3 from Road 12 to U.S. 6**

All work and material contracted for seal coating shall meet the requirements of the 1997 State of Ohio, Department of Transportation, Construction and Material Specifications. All other work shall meet the requirements of the State of Ohio, Department of Transportation, Construction and Material Specifications in effect on the date of sale, together with any modifications to the same stated herein.

**Fog seal shall be applied no less than 7 days after chip seal work is performed.**

**Fog seal coat shall be applied to only one lane of traffic at a time. Fog seal shall not be applied to both lanes of traffic at the same time.**

Spreading and placement of asphalt shall be done with full width paving equipment.

“Formed” or “Butt Type” construction joints shall be constructed at all pavement termini unless otherwise directed by the Township Trustees.

The asphalt binder grade for all asphalt concrete specified shall be PG 64-22.

Aggregate used in the asphalt concrete mix and for seal coating shall be State approved quarry run mineral aggregate.

Cut back asphalt may be used on applicable bid items between the period of October 15<sup>th</sup> and April 15<sup>th</sup>.

There are no restricted construction dates for the use of cut backs for penetration prime coat, maintenance mix or dust control.

Prevailing Wage Rates per Section 4115 of the Ohio Revised Code shall prevail on this project. A copy of the applicable wage rates may be obtained from the State of Ohio Wage and Hour Division via the internet at the following web site:

<http://www.com.ohio.gov/laws>

Should the bidder not have access to the internet, a complete set of the applicable wage rates are available at the office of the Henry County Engineer. A copy will be provided if requested.

The successful bidder will be provided a hard copy of the prevailing wage rate as a part of the contract documents.

Any rate changes received from the State Wage and Hour Division during the term of the contract will be provided in hard copy to the Contractor.

Contractors are required to furnish the Township with a certificate of insurance in the minimum amount of \$1,000,000.00 primary and \$1,000,000.00 umbrella coverage. The Township, its elected office and employees shall be named as additional insured with respect to all activities under any agreement resulting from this bidding. The certificate of insurance shall provide that such insurance shall not be cancelled without thirty (30) days prior written notice to the Township. Contractors will replace certificate for any insurance expiring prior to the effective end date under any agreement resulting from this bidding.

Contractors shall maintain Worker's Compensation coverage as required by Ohio law. A copy of a valid Worker's Compensation certificate shall be submitted with the bid.

The Contractor shall indemnify and hold harmless the Township, its agents and employees from any and all losses, claims, damages, lawsuits, costs, judgments, expenses or any other liabilities which they may incur as a result of bodily injury, sickness, disease or death, or injury to or destruction of tangible property including the loss of use

resulting therefrom, caused in whole or part by the negligent act or omission of the Contractor or any person directly or indirectly employed by any of them or any person for whose act any of them may be liable.

Accompanying this proposal is a bid guaranty in the form of either:

- 1) A bond for the full amount of the bid, on the above improvement; or
- 2) A certified check, cashier's check or letter of credit pursuant to Chapter 1305 of the Ohio Revised Code, in the amount of ten percent (10%) of the bid on the above improvements, payable to the order of the Board of Trustees, HARRISON TOWNSHIP, which check or bond is to be forfeited if, in case this proposal is accepted, the undersigned shall fail to execute a contract within ten (10) days of Notice of Award.

This contract shall be under the direct supervision of the Harrison Township Trustees and the Henry County Engineer.

All items are approximate, and final measurement of completed items will govern final payment.

In the event of discrepancy between the unit and total price bid, the unit price shall prevail. The unit prices shall remain in effect and held firm for the term of this contract. ODOT Item 401.20 Asphalt Binder price adjustment does not apply.

The Contractor shall be responsible for all construction one (1) year after project completion and acceptance. The Contractor shall make all corrections as necessary by reason of noted defects. The Trustees will give notice of observed defects with reasonable promptness. In the event that the Contractor fails to make repairs, adjustments or complete other work which may be required by such defects, the Trustees may do so and charge the Contractor the costs incurred.

The Board of Trustees reserve the right to award separate contracts on the various roads described. The Board of Trustees further reserves the right to reject any or all bids.

The seal coating work shall be completed on or before August 31, 2012.

For each calendar day that any work shall remain uncompleted after the stated completion date the appropriate sum, in accordance with the schedule of liquidated damages per Section 108.07 of the Standard Specifications of the State of Ohio Department of Transportation, will be deducted from any monies due the Contractor, not as a penalty but as liquidated damages; provided however, that due account shall be taken of any adjustment of the completion date granted by the Board of Trustees of Harrison Township.

A work day will be counted as lost if the Contractor's efficiency is reduced more than fifty (50%) percent on the critical items under construction at that time. Weekends and holidays will not be counted as lost work days.

Submitted By: \_\_\_\_\_  
CONTRACTOR

Address: \_\_\_\_\_  
\_\_\_\_\_

Signed By: \_\_\_\_\_  
Name/Title

\_\_\_\_\_ Phone Number

\_\_\_\_\_ Email Address

\_\_\_\_\_ Fax Number

## ROAD BIDDING BLANK

To: Board of Trustees  
Harrison Township  
Henry County, Ohio

Date of Sale: Tuesday, July 3, 2012 @ 7:30 P.M.

**Road 10 Road M to Road N**

Length: 4500 / 875 L.F. or 1.02 miles  
Width: 12' / 17.5' (Approx. 7,860 S.Y. including radius work)  
Type: Chip Seal, 1997 ODOT Spec 409

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	3,145	Gal	Seal coat bituminous material applied at 0.40 gallons per square yard	\$ _____	\$ _____
2	409	80	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
4	624	1	L.S.	Mobilization	\$ _____	\$ _____
5	103.05	1	L.S.	Contract Performance and Payment Bond	\$ _____	\$ _____
<b>TOTAL AMOUNT OF BID</b>						<b>\$ _____</b>

Road Bid Blank Continued

**Date of Sale:** Tuesday, July 3, 2012 @ 7:30 P.M.

**Harrison Township Road 10 from Road M to Road N**

All work and material contracted for seal coating shall meet the requirements of the 1997 State of Ohio, Department of Transportation, Construction and Material Specifications. All other work shall meet the requirements of the State of Ohio, Department of Transportation, Construction and Material Specifications in effect on the date of sale, together with any modifications to the same stated herein.

Spreading and placement of asphalt shall be done with full width paving equipment.

“Formed” or “Butt Type” construction joints shall be constructed at all pavement termini unless otherwise directed by the Township Trustees.

The asphalt binder grade for all asphalt concrete specified shall be PG 64-22.

Aggregate used in the asphalt concrete mix and for seal coating shall be State approved quarry run mineral aggregate.

Cut back asphalt may be used on applicable bid items between the period of October 15<sup>th</sup> and April 15<sup>th</sup>.

There are no restricted construction dates for the use of cut backs for penetration prime coat, maintenance mix or dust control.

Prevailing Wage Rates per Section 4115 of the Ohio Revised Code shall prevail on this project. A copy of the applicable wage rates may be obtained from the State of Ohio Wage and Hour Division via the internet at the following web site:

<http://www.com.ohio.gov/laws>

Should the bidder not have access to the internet, a complete set of the applicable wage rates are available at the office of the Henry County Engineer. A copy will be provided if requested.

The successful bidder will be provided a hard copy of the prevailing wage rate as a part of the contract documents.

Any rate changes received from the State Wage and Hour Division during the term of the contract will be provided in hard copy to the Contractor.

Contractors are required to furnish the Township with a certificate of insurance in the minimum amount of \$1,000,000.00 primary and \$1,000,000.00 umbrella coverage. The Township, its elected office and employees shall be named as additional insured with respect to all activities under any agreement resulting from this bidding. The certificate of insurance shall provide that such insurance shall not be cancelled without thirty (30) days prior written notice to the Township. Contractors will replace certificate for any insurance expiring prior to the effective end date under any agreement resulting from this bidding.

Contractors shall maintain Worker’s Compensation coverage as required by Ohio law. A copy of a valid Worker’s Compensation certificate shall be submitted with the bid.

The Contractor shall indemnify and hold harmless the Township, its agents and employees from any and all losses, claims, damages, lawsuits, costs, judgments, expenses or any other liabilities which they may incur as a result of bodily injury, sickness, disease or death, or injury to or destruction of tangible property including the loss of use resulting therefrom, caused in whole or part by the negligent act or omission of the Contractor or any person directly or indirectly employed by any of them or any person for whose act any of them may be liable.

Accompanying this proposal is a bid guaranty in the form of either:

- 1) A bond for the full amount of the bid, on the above improvement; or
- 2) A certified check, cashier's check or letter of credit pursuant to Chapter 1305 of the Ohio Revised Code, in the amount of ten percent (10%) of the bid on the above improvements, payable to the order of the Board of Trustees, HARRISON TOWNSHIP, which check or bond is to be forfeited if, in case this proposal is accepted, the undersigned shall fail to execute a contract within ten (10) days of Notice of Award.

This contract shall be under the direct supervision of the Harrison Township Trustees and the Henry County Engineer.

All items are approximate, and final measurement of completed items will govern final payment.

In the event of discrepancy between the unit and total price bid, the unit price shall prevail. The unit prices shall remain in effect and held firm for the term of this contract. ODOT Item 401.20 Asphalt Binder price adjustment does not apply.

The Contractor shall be responsible for all construction one (1) year after project completion and acceptance. The Contractor shall make all corrections as necessary by reason of noted defects. The Trustees will give notice of observed defects with reasonable promptness. In the event that the Contractor fails to make repairs, adjustments or complete other work which may be required by such defects, the Trustees may do so and charge the Contractor the costs incurred.

The Board of Trustees reserve the right to award separate contracts on the various roads described. The Board of Trustees further reserves the right to reject any or all bids.

The seal coating work shall be completed on or before August 31, 2012.

For each calendar day that any work shall remain uncompleted after the stated completion date the appropriate sum, in accordance with the schedule of liquidated damages per Section 108.07 of the Standard Specifications of the State of Ohio Department of Transportation, will be deducted from any monies due the Contractor, not as a penalty but as liquidated damages; provided however, that due account shall be taken of any adjustment of the completion date granted by the Board of Trustees of Harrison Township.

A work day will be counted as lost if the Contractor's efficiency is reduced more than fifty (50%) percent on the critical items under construction at that time. Weekends and holidays will not be counted as lost work days.

Submitted By: \_\_\_\_\_  
CONTRACTOR

Address: \_\_\_\_\_

\_\_\_\_\_

Signed By: \_\_\_\_\_  
Name/Title

\_\_\_\_\_ Phone Number

\_\_\_\_\_ Email Address

\_\_\_\_\_ Fax Number

## ROAD BIDDING BLANK

To: Board of Trustees  
Harrison Township  
Henry County, Ohio

Date of Sale: Tuesday, July 3, 2012 @ 7:30 P.M.

**Road 9B from S.R. 110 South 1,500 feet**

Length: 900 / 600 L.F. or 0.28 miles  
Width: 15' / 11' (Approx. 2,265 S.Y. including radius work)  
Type: Chip Seal, 1997 ODOT Spec 409

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	910	Gal	Seal coat bituminous material applied at 0.40 gallons per square yard	\$ _____	\$ _____
2	409	25	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
4	624	1	L.S.	Mobilization	\$ _____	\$ _____
5	103.05	1	L.S.	Contract Performance and Payment Bond	\$ _____	\$ _____
<b>TOTAL AMOUNT OF BID</b>						<b>\$ _____</b>

Road Bid Blank Continued

**Date of Sale:** Tuesday, July 3, 2012 @ 7:30 P.M.

**Harrison Township Road 9B from S.R. 110 South 1,500 feet**

All work and material contracted for seal coating shall meet the requirements of the 1997 State of Ohio, Department of Transportation, Construction and Material Specifications. All other work shall meet the requirements of the State of Ohio, Department of Transportation, Construction and Material Specifications in effect on the date of sale, together with any modifications to the same stated herein.

Spreading and placement of asphalt shall be done with full width paving equipment.

“Formed” or “Butt Type” construction joints shall be constructed at all pavement termini unless otherwise directed by the Township Trustees.

The asphalt binder grade for all asphalt concrete specified shall be PG 64-22.

Aggregate used in the asphalt concrete mix and for seal coating shall be State approved quarry run mineral aggregate.

Cut back asphalt may be used on applicable bid items between the period of October 15<sup>th</sup> and April 15<sup>th</sup>.

There are no restricted construction dates for the use of cut backs for penetration prime coat, maintenance mix or dust control.

Prevailing Wage Rates per Section 4115 of the Ohio Revised Code shall prevail on this project. A copy of the applicable wage rates may be obtained from the State of Ohio Wage and Hour Division via the internet at the following web site:

<http://www.com.ohio.gov/laws>

Should the bidder not have access to the internet, a complete set of the applicable wage rates are available at the office of the Henry County Engineer. A copy will be provided if requested.

The successful bidder will be provided a hard copy of the prevailing wage rate as a part of the contract documents.

Any rate changes received from the State Wage and Hour Division during the term of the contract will be provided in hard copy to the Contractor.

Contractors are required to furnish the Township with a certificate of insurance in the minimum amount of \$1,000,000.00 primary and \$1,000,000.00 umbrella coverage. The Township, its elected office and employees shall be named as additional insured with respect to all activities under any agreement resulting from this bidding. The certificate of insurance shall provide that such insurance shall not be cancelled without thirty (30) days prior written notice to the Township. Contractors will replace certificate for any insurance expiring prior to the effective end date under any agreement resulting from this bidding.

Contractors shall maintain Worker's Compensation coverage as required by Ohio law. A copy of a valid Worker's Compensation certificate shall be submitted with the bid.

The Contractor shall indemnify and hold harmless the Township, its agents and employees from any and all losses, claims, damages, lawsuits, costs, judgments, expenses or any other liabilities which they may incur as a result of bodily injury, sickness, disease or death, or injury to or destruction of tangible property including the loss of use resulting therefrom, caused in whole or part by the negligent act or omission of the Contractor or any person directly or indirectly employed by any of them or any person for whose act any of them may be liable.

Accompanying this proposal is a bid guaranty in the form of either:

- 1) A bond for the full amount of the bid, on the above improvement; or
- 2) A certified check, cashier's check or letter of credit pursuant to Chapter 1305 of the Ohio Revised Code, in the amount of ten percent (10%) of the bid on the above improvements, payable to the order of the Board of Trustees, HARRISON TOWNSHIP, which check or bond is to be forfeited if, in case this proposal is accepted, the undersigned shall fail to execute a contract within ten (10) days of Notice of Award.

This contract shall be under the direct supervision of the Harrison Township Trustees and the Henry County Engineer.

All items are approximate, and final measurement of completed items will govern final payment.

In the event of discrepancy between the unit and total price bid, the unit price shall prevail. The unit prices shall remain in effect and held firm for the term of this contract. ODOT Item 401.20 Asphalt Binder price adjustment does not apply.

The Contractor shall be responsible for all construction one (1) year after project completion and acceptance. The Contractor shall make all corrections as necessary by reason of noted defects. The Trustees will give notice of observed defects with reasonable promptness. In the event that the Contractor fails to make repairs, adjustments or complete other work which may be required by such defects, the Trustees may do so and charge the Contractor the costs incurred.

The Board of Trustees reserve the right to award separate contracts on the various roads described. The Board of Trustees further reserves the right to reject any or all bids.

The seal coating work shall be completed on or before August 31, 2012.

For each calendar day that any work shall remain uncompleted after the stated completion date the appropriate sum, in accordance with the schedule of liquidated damages per Section 108.07 of the Standard Specifications of the State of Ohio Department of Transportation, will be deducted from any monies due the Contractor, not as a penalty but as liquidated damages; provided however, that due account shall be taken of any adjustment of the completion date granted by the Board of Trustees of Harrison Township.

A work day will be counted as lost if the Contractor's efficiency is reduced more than fifty (50%) percent on the critical items under construction at that time. Weekends and holidays will not be counted as lost work days.

Submitted By: \_\_\_\_\_  
CONTRACTOR

Address: \_\_\_\_\_

\_\_\_\_\_

Signed By: \_\_\_\_\_  
Name/Title

\_\_\_\_\_

Phone Number

\_\_\_\_\_

Email Address

\_\_\_\_\_

Fax Number