

Damascus Township

Section 8

Corner N¹/₄

Date 7/27/2010

Marker Nail/Shiner

29.62' NE to chiseled "+" in north end concrete pipe (P)

23.29' SE to chiseled "+" in south end concrete pipe (P)

69.00' SW to mag nail NW/side walnut tree

63.12' SE to mag nail N/side walnut tree

N ¹ / ₄	SR 110 Twp. Rd. 5A

Section 8

Corner CENTER

Date 7/27/2010

Marker RR Spike

49.48' SW to duplex E/side power pole

10.61' NE to 5/8" iron pin 18" east of EP

10.08' SE to 5/8" iron pin 18" east of EP

	SR 110 Twp. Rd. 5A
	X CENTER

Damascus Township

Section 9

Corner NW

Date 7/27/2010

Marker Nail/Shiner

35.21' NNW to duplex E/side pedestal post (loose)

27.64' S to nail/shiner N/side power pole

34.08' SW to near face MTEL plastic riser

NW	

Section 9

Corner N¼

Date 7/27/2010

Marker Nail/Shiner

71.80' NE to "+" NW corner concrete slab (P)

35.31' SE to mag nail W/side wood anchor post

25.49' S to mag nail W/side wood anchor post

N¼	

Damascus Township

Section 10

Corner N¹/₄


Date 9/25/1992

Marker ODOT Survey Marker

11.59' W to duplex N/side twin 18" ash

23.08' N to duplex E/side 12" locust (5.5' above ground)

19.80' SSW to duplex N/side 12" hickory (in root)



Section 10

Corner OTHER


Date 9/25/1992

Marker ODOT Survey Marker

12.18' SW to PK nail NW/side 8" locust

27.13' S to PK nail N/side 24" locust

13.55' SW to PK nail NE/side 12" locust



Section 10

Corner OTHER


Date 9/25/1992

Marker PK Nail

20.07' NNE to duplex W/side brace pole

37.18' SE to duplex SW/side power pole

42.13' SW to SSE bolt on lower flange of fire hydrant



Damascus Township

Section 10

Corner W¹/₄


Date 7/27/2010

Marker Nail/Shiner

58.46' SE to sawed "+" in NW corner catch basin (P)

55.93' SW to sawed "+" in NE corner of catch basin (P)

40.44' W to mag nail S/side pine tree




Section 10

Corner CENTER

Date 9/28/1993

Marker Iron Pin

18.32' N to 30d spike S/side 8" tree




Section 10

Corner N¹/₄ SE

Date 7/24/2010

Marker Iron Pin

61.68' E to RR spike in centerline Road 3A



Damascus Township

Section 10

Corner OTHER


Date 7/27/2010

Marker RR Spike

26.05' ESE to mag nail N/side 15" tree

27.78' NW to mag nail in plastic pipe (P)

27.48' SW to mag nail in plastic pipe (P)



Damascus Township

Section 11
Corner NW
Date 7/31/1980
Marker Located stone with probe
17.4' S to near face iron anchor post
6.8' S to NE corner concrete retaining wall
19.0' NW to near face maple tree


NW	

Section 11
Corner N¼
Date 9/28/1992
Marker Stone
7.62' N to nail/shiner E/side power pole (P)
22.05' S to PK nail/shiner on centerline SR 65
54.75' S to nail/shiner N/side power pole
106.30' E to duplex S/side telephone pole


N¼	

Damascus Township

Section 12
Corner W¹/₄
Date 7/27/2010
Marker Small RR Spike
25.41' WSW to mag nail S/side 24" tree
39.01' SW to PK nail NE/side power pole
36.40' NE to duplex NE/side power pole



Section 12
Corner E¹/₄
Date 7/27/2010
Marker RR Spike
32.25' SW to sawed "+" south end CIP (P)
41.10' NW to duplex NE/side power pole
37.17' SE to nail/shiner NW/side power pole



Damascus Township

Section 13
Corner NW
Date 7/26/2010
Marker Small RR Spike
33.33' NW to duplex SW/side power pole
58.29' NNW to mag nail north end plastic pipe (P)
22.85' SW to mag nail south end plastic pipe (P)

NW	

Section 13
Corner N¼
Date 7/26/2010
Marker Small RR Spike
36.86' NE to duplex SE/side power pole
19.94' S to 5/8" iron pin w/cap
20.05' N to iron pin
30.35' SW to duplex NW/side 8" tree (1992 tie)

N¼	

Section 13
Corner NE
Date 7/26/2010
Marker RR Spike
26.27' ESE to "+" east end 60" RCP (P)
44.72' WNW to "+" west end 60" RCP (P)
58.80' SW to duplex SE/side power pole
44.25' SE to duplex NE/side power pole

	NE

Damascus Township

Section 13

Corner W¹/₄

Date 7/26/2010


Marker Small RR Spike

64.09' NNW to mag nail west end plastic pipe (P)

52.14' SSW to "+" south end CMP (P)

16.79' W to north end CMP (P)

65.28' NNE to SE corner CB (P)



Section 13

Corner E¹/₄


Date 7/26/2010

Marker RR Spike

29.79' ESE to "+" north end 12" RCP (P)

44.14' SE to "+" south end 12" RCP (P)

24.60' SW to "+" south end 12" RCP (P)



Damascus Township

Section 14
Corner NW
Date 7/26/2010
Marker Small RR Spike
17.83' N to duplex E/side power pole (P)
45.29' SE to mag nail NW/side maple tree
51.62' SW to duplex NW/side power pole (P)

NW	

Section 14
Corner N $\frac{1}{4}$ NW
Date 9/30/1992
Marker RR Spike
24.50' N to iron pin and witness post (P)
20.37' NW to 5/8" iron pin at north edge of pavement
18.69' NE to 5/8" iron pin at north edge of pavement


\wedge N $\frac{1}{4}$ NW	

Section 14
Corner N $\frac{1}{4}$
Date 7/26/2010
Marker Iron Pin
18.16' W to 5/8" iron pin at south edge of pavement
24.66' NW to 5/8" iron pin at north edge of pavement
29.72' ESE to mag nail east end plastic pipe (P)


N $\frac{1}{4}$	

Damascus Township


Section 15
Corner NW
Date 7/26/2010
Marker Nail/Shiner
 35.24' SW to punch hole in NNE flange bolt of fire hydrant
 36.90' W to nail/shiner NE/side power pole
 48.56' SW to nail/shiner E/side brace pole



Section 15
Corner N¹/₄ NE
Date 9/26/2016
Marker Stone just below surface
 1/2" Iron Pin on south side of stone (locating purposes only)
 86.45' ENE to duplex south side of power pole
 3.37' SW to duplex in SE root of 12" hickory tree
 56.95' E to railroad spike in intersection of roads Q & 3A
 61.38' NE to 5/8" rebar on west side of pavement



Section 15
Corner W¹/₄
Date 7/26/2010
Marker Nail/Shiner
 39.14' SW to "+" south end aluminum CMP
 16.94' W to "+" north end aluminum CMP
 72.05' SSW to duplex NW/side power pole
 36.80' E to mag nail east rim meter pit (P)
 108.38' NNE to duplex W/side pedestal post (1992 tie)



Damascus Township

Section 16
Corner NW
Date 7/27/2010
Marker Small RR Spike
20.18' NW to 5/8" iron pin on north edge of pavement
19.58' NE to 5/8" iron pin on north edge of pavement


NW	

Section 16
Corner N¼
Date 7/26/2010
Marker Small RR Spike
17.51' NW to 5/8" iron pin at north edge of pavement
17.67' NE to 5/8" iron pin at north edge of pavement
20.06' S to capped iron pin
30.82' SE to mag nail NE/side 8" willow tree


N¼	

Damascus Township


Section 17
Corner N¹/₄
Date 7/27/2010
Marker RR Spike
 30.02' SE to duplex S/side cable marker post (leaning south)
 30.42' NW to duplex NE/side power pole
 27.51' SW to mag nail north end plastic pipe



Section 17
Corner W¹/₄
Date 7/27/2010
Marker Small RR Spike
 49.74' ENE to sawed "+" in west bridge abutment
 50.39' ESE to sawed "+" in west bridge abutment
 29.31' SE to duplex W/side telephone pole



Section 17
Corner CENTER
Date 7/27/2010
Marker RR Spike
 47.43' NW to SE corner brick house
 28.51' NE to near face MTEL plastic riser
 33.45' SW to sawed "+" in SE corner catch basin
 39.37' SW to duplex NW/side power pole



Damascus Township

Section 18

Corner NW

Date 6/29/2010


Marker RR Spike

49.23' NE to suplex NW/side power pole

19.88' E to 5/8" iron pin (P)

164.20' S to NE corner, Sec. 13, Harrison Twp.

58.62' ENE to duplex S/side 24" maple



Section 18

Corner N¼ NE


Date 6/29/2010

Marker Small RR Spike

6.86' NE to 5/8" iron pin at east edge of pavement

7.76' SE to 5/8" iron pin at east edge of pavement

19.63' W to duplex S/side power pole



Section 18

Corner OTHER


Date 6/29/2010

Marker Small RR Spike

21.07' E to mag nail W/side 30" oak


13.83' SW to ½" iron pin at west edge of pavement

14.10' NW to 5/8" iron pin at west edge of pavement




Damascus Township


Section 18
Corner W¹/₄
Date 6/29/2010
Marker Small RR Spike
29.87' NE to PK in power pole
63.68' ENE to duplex NW/side marker post
16.26' NW to 5/8" iron pin at west edge of pavement



Section 18
Corner CENTER
Date 6/29/2010
Marker Small RR Spike
19.16' N to "+" in concrete corner post (P)
19.13' S to duplex E/side power pole
21.54' NE to 5/8" iron pin at north edge of pavement



Section 18
Corner N¹/₄ SE
Date 6/29/2010
Marker Small RR Spike
86.11' S to duplex E/side power pole
26.07' SE to duplex NE/side power pole
29.61' WSW to "+" NE corner catch basin (P)



Damascus Township

Section 19
Corner NW
Date 6/29/2010
Marker Small RR Spike
24.32' WNW to "+" SE corner catch basin (P)
50.59' SSW to "+" east corner catch basin (P)
42.25' SE to duplex NE/side power pole
135.98' S to NE corner Sec. 24, Harrison Twp. (1980 Tie)

NW	

Section 19
Corner N¼
Date 6/29/2010
Marker Small RR Spike
46.41' SSE to duplex W/side power pole
25.64' N to duplex W/side power pole
29.43' SW to 5/8" iron pin at edge of pavement of radius

N¼	

Section 19
Corner W¼
Date 6/29/2010
Marker Small RR Spike
27.87' NE to duplex NW/side power pole
36.48' SW to duplex NW/side telephone pole (P)
13.99' NW to 5/8" iron pin at west edge of pavement
39.89' NE to duplex SE/side power pole

W¼	

Damascus Township

Section _____ 19 _____

Corner _____ CENTER _____


Date _____ 6/29/2010 _____

Marker _____ RR Spike _____

23.07' NW to PK nail NE/side power pole _____

25.55' SW to sawed "+" in face of concrete corner post (near NE corner) _____

18.41' NE to iron pin at edge of pavement of radius _____



Damascus Township

Section 20

Corner NW

Date 6/29/2010

Marker Small RR Spike

22.17' S to duplex NW/side wood corner post

27.66' NE to mag nail 12" from end of corr. plastic pipe (P)

27.36' NW to mag nail 12" from end of corr. plastic pipe (P)

8.76' SSE to 5/8" iron pin at south edge of pavement

NW	

Section 20

Corner N¹/₄

Date 6/29/2010

Marker Small RR Spike

31.84' NW to "+" SE corner catch basin

53.55' ENE to duplex W/side power pole

33.04' SW to "+" NE corner catch basin

45.21' NW to duplex SW/side power pole

N ¹ / ₄	

Section 20

Corner W¹/₄

Date 6/29/2010

Marker Iron Pin

20.21' N to sawed "+" in south face of corner post

81.17' NE to duplex S/side power pole

18.20' NE to 5/8" iron pin at north edge of pavement

22.41' NW to 5/8" iron pin at north edge of pavement

W ¹ / ₄	

Damascus Township

Section _____ 20

Corner _____ CENTER

Date _____ 6/29/2010


Marker _____ Small RR Spike

36.90' NE to duplex SE/side power pole

34.75' ESE to mag nail east end corr. plastic pipe (P)

32.21' SSE to mag nail south end corr. plastic pipe (P)

29.48 SW to duplex NW/side cable marker post



Damascus Township

Section 21
Corner NW
Date 6/30/2010
Marker Small RR Spike
23.21' N to sawed "+" W/side conc. corner post
31.21' SW to spike W/side power pole
41.11' SW to sawed "+" NE corner conc. slab
22.01' NW to sawed "+" NW corner catch basin (P)

NW	

Section 21
Corner N¼
Date 6/30/2010
Marker Small RR Spike
23.07' N to PK nail west end CMP (P)
36.32' NE to PK nail east end CMP (P)
10.96' SW to 5/8" iron pin at south edge of pavement

N¼	

Section 21
Corner W¼
Date 6/30/2010
Marker Small RR Spike
34.68' NNW to spike SE/side power pole
20.44' N to sawed "+" E/side conc. post
18.02' SE to sawed "+" top center conc. headwall (P)
34.85' SW to PK nail NW/side power pole

W¼	

Damascus Township

Section _____ 21 _____

Corner _____ CENTER _____

Date _____ 6/30/2010 _____


Marker _____ Small RR Spike _____

14.28' NNW to sawed "+" in north end conc. pipe (P)

17.87' S to sawed "+" in east end conc. headwall (P)

19.60' SW to sawed "+" in west end conc. headwall (P)

45.48' SSW to duplex E/side power pole



Damascus Township

Section 22
Corner NW
Date 6/30/2010
Marker Nail/Shiner
40.35' NW to nail/shiner SE/side power pole
34.60' SSE to sawed "+" top west end conc. headwall (P)
38.61' NE to sawed "+" SW corner catch basin (P)
45.91' SW to nail/shiner NE/side power pole

NW	

Section 22
Corner N¹/₄
Date 6/30/2010
Marker Small RR Spike
77.17' ENE to duplex S/side power pole (P)
57.60' NNE to duplex W/side power pole
46.03' SW to duplex SE/side power pole
57.44' SSE to mag nail W/side 24" tree

N ¹ / ₄	

Section 22
Corner W¹/₄
Date 6/30/2010
Marker Nail/Shiner
35.19' NW to nail/shiner SW/side power pole
68.80' WSW to duplex N/side power pole
52.53' NNE to duplex NW/side telephone pole
44.06' SE to nail/shiner NW/side light pole
26.57' NW to sawed "+" NW corner conc. catch basin

W ¹ / ₄	

Damascus Township

Section 22

Corner CENTER

Date 6/30/2010

Marker Small RR Spike


29.75' SE to duplex NE/side brace pole

29.81' SW to nail/shine NE/side power pole

37.97' NW to mag nail E/side 18" maple

20.63' NNE to 5/8" iron pin at east edge of pavement

54.54' NW to SE corner foundation stone "Morris"



Damascus Township

Section 23

Corner NW

Date 6/30/2010

Marker Small RR Spike

53.92' NE to duplex SE/side power pole

22.07' NW to 5/8" iron pin at north edge of pavement

7.72' SSE to 5/8" iron pin at south edge of pavement

NW	

Section 23

Corner N¼

Date 6/30/2010

Marker Small RR Spike

75.89' ENE to duplex S/side power pole

76.16' ESE to duplex S/side power pole

30.22' SW to duplex W/side cable marker post

28.48' SE to mag nail east end 12" N12 (P)

N¼	

Damascus Township

Section 24
Corner NW
Date 6/30/2010
Marker Small RR Spike
66.38' ESE to "+" W/side steel casing
39.62' SE to duplex SW/side wood post
50.73' SW to PK nail NW/side power pole
64.97' NW to duplex SW/side tree trunk
91.70' WNW to mag nail W/end N12 pipe (P)

NW	

Section 24
Corner N¼
Date 6/30/2010
Marker Small RR Spike
49.46' SE to duplex SW/side power pole
20.21' SSE to mag nail 18" from west end plastic pipe (P)
15.11' NE to 5/8" iron pin at north edge of pavement


N¼	

Section 24
Corner NE
Date 6/30/2010
Marker Small RR Spike
32.60' NW to nail/shiner SW/side telephone pole
49.68' NE to nail/shiner NW/side power pole
40.43' SE to duplex SW/side power pole (P)
3.78' WSW to harrow tooth (Wood County?)
38.04' NE to iron pin E/side concrete monument(1980 tie)


	NE

Damascus Township


Section 24
Corner W $\frac{1}{4}$
Date 6/30/2010
Marker Small RR Spike
32.71' NE to duplex SE/side cable marker post
29.89' SW to duplex NW/side power pole
16.68' NE to 5/8" iron pin 12" west of edge of pavement



Section 24
Corner CENTER
Date 6/30/2010
Marker RR Spike
23.25' NW to 5/8" iron pin at north edge of pavement
16.88' NE to 5/8" iron pin at north edge of pavement



Section 24
Corner E $\frac{1}{4}$
Date 6/30/2010
Marker RR Spike
27.73' NW to "+" center concrete headwall (P)
32.34' NW to concrete witness monument
27.85' NE to "+" SW corner catch basin (P)
37.53' SW to duplex NW/side cable marker post
1.98' to W $\frac{1}{4}$ post, Sec. 19, Grand Rapids Twp., Wood County, Ohio



Damascus Township

Section 25
Corner NW
Date 6/30/2010
Marker Nail/Shiner
73.58' NNE to nail/shiner S/side power pole
38.43' SW to nail/shiner NE/side power pole
48.96' SE to mag nail east end plastic pipe (P)

NW	

Section 25
Corner NE
Date 6/30/2010
Marker Nail/Shiner
48.77' NE to "+" east end concrete headwall (P)
44.57' SE to "+" center concrete headwall (P)
58.64' SW to nail/shiner NE/side power pole
56.51' SE to duplex SW/side power pole

	NE

Section 25
Corner W¹/₄
Date 6/30/2010
Marker RR Spike
52.14' NW to spike S/side power pole
15.95' W to "+" SE corner CB riser (P)
36.25' WSW to mag nail E/side pine tree

W ¹ / ₄	

Damascus Township

Section 25

Corner E¹/₄

Date 6/30/2010

Marker RR Spike

98.25' NNE to duplex SE/side power pole

15.99' SE to 5/8" iron pin 4.5' east of edge of pavement

10.19' SW to 5/8" iron pin 4' west of edge of pavement

	E ¹ / ₄

Damascus Township

Section 26
Corner NW
Date 6/30/2010
Marker Nail/Shiner
31.89' NE to "+" NW corner catch basin (P)
38.50' SE to nail/shiner NW/side power pole
32.94' SW to "+" SE corner catch basin

NW	

Section 26
Corner N¼
Date 6/30/2010
Marker Small RR Spike
63.01' ESE to center R/W monument
31.40' SSW to nail/shiner N/side power pole

N¼	

Section 26
Corner W¼
Date 6/30/2010
Marker Small RR Spike
61.53' NNE to duplex W/side 24" tree
21.79' E to duplex N/side 6" tree
65.00' WSW to duplex SE/side power pole

W¼	

Damascus Township

Section 27

Corner NW

Date 6/30/2010

Marker Nail/Shiner

40.43' NW to "+" on face concrete island guard

50.68' NE to nail/shiner SW/side power pole

71.45' SE to "+" top concrete slab

49.50' SW to nail/shiner NE/side power pole

NW	

Section 27

Corner N $\frac{1}{4}$

Date 6/30/2010

Marker Nail/Shiner

35.62' NE to nail/shiner SW/side telephone pole

57.39' SE to center brass plate R/W monument

73.18' ESE to nail/shiner W/side power pole

46.03' SW to nail/shiner NE/side power pole

100.30' NW to nail/shiner SE/side power pole

N $\frac{1}{4}$	

Section 27

Corner W $\frac{1}{4}$

Date 6/30/2010

Marker Iron Pipe

32.03' W to "+" in face concrete fence post

29.20' ENE to nail/shiner W/side power pole (P)

38.02' SE to "+" cut in NE flange bolt of fire hydrant (P)

W $\frac{1}{4}$	

Damascus Township

Section _____ 27 _____

Corner _____ CENTER _____


Date _____ 6/30/2010 _____

Marker _____ RR Spike _____

24.78' NW to mag nail SE/side power pole _____

14.15' E to "+" east end concrete headwall (P) _____

15.80' NE to 5/8" iron pin at edge of pavement _____



Damascus Township

Section 28
Corner NW
Date 7/2/2010
Marker Nail/Shiner
45.78' SE to "+" east end 18" concrete pipe
56.30' SSE to nail/shiner NW/side power pole
88.06' SW to easterly corner concrete slab porch floor
32.41' SW to "+" in SW corner catch basin
58.66' SE to duplex NW/side power pole

NW	

Section 28
Corner N¼
Date 6/30/2010
Marker Nail/Shiner
39.92' N to 3/8" iron pin (P)
60.22' S to nail/shiner N/side power pole
65.42' SW to nail/shiner NE/side power pole

N¼	

Section 28
Corner W¼
Date 7/2/2010
Marker RR Spike
26.45' W to "+" N/side concrete corner post
51.37' NE to duplex W/side power pole

W¼	

Damascus Township

Section 29
Corner NW
Date 7/2/2010
Marker Nail/Shiner
 39.93' N to "+" S/side concrete corner post
 52.36' NNE to nail/shiner S/side power pole
 44.61' SE to nail/shiner NW/side power pole

NW	

Section 29
Corner N¹/₄
Date 7/2/2010
Marker Not Found
 44.62' NW to nail/shiner SE/side cable marker (1980 ties)
 46.55' ESE to "+" east end 24" RCP (P) (1980 ties)
 49.88' SE to NW corner concrete post (1980 ties)
 51.01' SE to nail/shiner NW/side power pole (1980 ties)
 45.47' SW to "+" west end 24" RCP (P) (1980 ties)

N ¹ / ₄	

Section 29
Corner W¹/₄
Date 7/2/2010
Marker Iron Pin
 21.34' SE to "+" south end 54" RCP (P)
 19.19' ENE to "+" NE corner catch basin (P)

W ¹ / ₄	

Damascus Township

Section 29

Corner CENTER


Date 7/2/2010

Marker Iron Pin Set new mag nails 6' NE and SE

18.10' E to "+" W/side concrete corner post

107.76' SSE to duplex E/side power pole

42.91' SW to 5/8" iron pin on west ditch bank (1980 tie)



Section 29


Corner W¹/₄ SW

Date 7/2/2010

Marker Iron Pin Set new mag nails 6' NW and SW


81.78' NNW to "+" E/side concrete corner post

76.88' N to 5/8" iron pin




Damascus Township


Section 30
Corner NW
Date 7/2/2010
Marker Small RR Spike
 44.95' NE to duplex NW/side power pole (P)
 33.75' W to mag nail east root of tree (P)
 32.57' NE to duplex SE/side power pole
 73.01' SSE to "+" SE/side catch basin (P)
 77.87' SSW to "+" SE/side catch basin (P)



Section 30
Corner N¼
Date 7/2/2010
Marker Nail/Shiner
 47.54' NW to SE corner concrete anchor post
 48.74' NNW to nail/shiner S/side wood post
 48.03' SSE to nail/shiner N/side power pole
 59.90' SSW to nail/shiner N/side power pole
 50.20' SW to "+" top 24" concrete pipe (P)




Section 30
Corner W¼ NE
Date 7/2/2010
Marker RR Spike
 100.16' NNW to duplex E/side power pole
 31.99' NE to mag nail SE/side 12" hickory
 26.53' E to mag nail S/side 36" hickory
 77.94' NNE to mag nail SE/side hickory




Damascus Township


Section 30
Corner W¹/₄
Date 7/2/2010
Marker RR Spike
71.35' SSE to duplex N/side power pole
79.46' S to Harrison Twp. stone
34.74' SW to mag nail S/side tree



Section 30
Corner CENTER
Date 7/2/2010
Marker RR Spike
41.20' NNW to "+" SE corner catch basin (P)
38.57' NNE to "+" concrete headwall (P)
5.05' E to duplex S/side power pole
38.80' SW to duplex NW/side cable marker post



Section 30
Corner W¹/₄ SE
Date 7/2/2010
Marker RR Spike
27.23' NE to mag nail NW/side 24" tree
39.84' ESE to mag nail N/side 14" pine
37.00' SE to mag nail SW/side 36" maple
101.85' SSE to duplex W/side power pole



Damascus Township

Section 30

Corner E $\frac{1}{4}$ SE


Date 5/9/1980

Marker Iron Pin

25.94' W to SE corner concrete corner post (P)

32.89' NE to 5/8" iron pin on east ditch bank(P)

43.92' SE to 5/8" iro pin on east ditch bank (P)



Damascus Township

Section 31
Corner NW
Date 7/2/2010
Marker Small RR Spike
33.21' NE to spike W/side power pole
60.16' SE to duplex NE/side telephone pole
81.04' ESE to duplex NE/side power pole
115.49' S to NE corner, Sec. 36, Harrison Twp (1980 tie)

NW	

Section 31
Corner N¹/₄ NW
Date 5/22/1980
Marker RR Spike
22.33' NNW to SE corner concrete corner post
42.43' SE to 5/8" iron pin on south ditch bank
14.50' S to "+" north end concrete headwall (P)
48.44' SW to 5/8" iron pin on south ditch bank (P)


N ¹ / ₄ NW	

Section 31
Corner N¹/₄
Date 7/2/2010
Marker Small RR Spike
38.03' NW to duplex S/side telephone pole
32.81' NE to duplex SW/side power pole
25.10' ESE to PK nail NW/side power pole


N ¹ / ₄	

Damascus Township


Section 31
Corner W¹/₄
Date 7/2/2010
Marker Small RR Spike
33.18' NE to SW corner concrete corner post (P)
44.96' NW to duplex NE/side power pole
88.81' SSW to duplex SE/side power pole
58.30' S to Harrison Twp. corner



Section 31
Corner CENTER
Date 7/2/2010
Marker Small RR Spike
36.07' NE to duplex SE/side power pole
61.30' ESE to mag nail SW/side 36" elm
66.93' SW to NE corner flag pole base



Section 31
Corner SW
Date _____
Marker See NE corner, Sec. 1, Monroe Twp.



Damascus Township

Section 31

Corner S¼

Date 7/2/2010

Marker Small RR Spike

28.52' NNW to "+" top concrete headwall (P)

62.11' WNW to "+" top concrete headwall (P)

17.22' SE to "+" concrete headwall (P)

57.82' SW to "+" concrete headwall (P)

57.23' W to N¼ post, Sec. 6, Richfield Twp.

	S¼

Damascus Township

Section 32
Corner NW
Date 7/2/2010
Marker 2" Iron Pin
59.53' NW to duplex NE/side power pole
30.97' SW to nail/shiner in power pole
33.42' SW to "+" in concrete pipe (P)
28.87' ESE to "+" east end headwall

NW	

Section 32
Corner N¹/₄
Date 7/7/2010
Marker Small RR Spike
47.57' NNW to PK nail top west end 10" CMP (P)
55.90' SW to duplex N/side power pole
58.47' NNE to duplex in power pole


N ¹ / ₄	

Section 32
Corner W¹/₄
Date 7/2/2010
Marker RR Spike
72.97' SW to duplex NW/side power pole
82.39' WNW to duplex S/side power pole
48.76' NW to duplex E/side power pole


W ¹ / ₄	

Damascus Township


Section 32
Corner CENTER
Date 7/7/2010
Marker Small RR Spike
27.99' ENE to "+" west side concrete corner post
18.24' WNW to mag nail N/side 12" tree
25.88' SE to "+" SE corner concrete slab
49.34' SE to duplex SW/side power pole



Section 32
Corner SW
Date 7/2/2010
Marker Small RR Spike
50.97' NNW to "+" SE corner concrete catch basin
101.77' NE to SE corner house foundation
42.19' NE to duplex NW/side telephone pole
50.19' SSW to duplex NW/side power pole
57.52' W to NW corner, Sec. 5, Richfield Twp. (1979 tie)



Section 32
Corner S¼
Date 7/7/2010
Marker Small RR Spike
90.42' ESE to duplex N/side power pole
63.90' SW to duplex N/side 18" locust
70.30' WSW to "+" SE bridge wing (south end)
58.61' W to N¼ post, Sec. 5, Richfield Twp.



Damascus Township

Section 33
Corner NW
Date 7/7/2010
Marker Small RR Spike
47.02' SW to duplex NW/side power pole
107.94' NNE to duplex E/side power pole
46.13' ESE to "+" east end RCP (P)
46.34' WSW to "+" west end RCP (P)

NW	

Section 33
Corner N¹/₄
Date 7/7/2010
Marker Small RR Spike
46.59' NE to "+" north end 12" cast iron pipe (P)
20.45' S to duplex W/side power pole
45.19' SE to "+" SW corner catch basin (P)


N ¹ / ₄	

Section 33
Corner W¹/₄
Date 7/7/2010
Marker Iron Pin
43.26' W to "+" west end RCP (P)
13.06' SSE to duplex E/side power pole
41.88' SW to duplex NW/side cable marker post
16.47' E to "+" east end RCP (P)


W ¹ / ₄	

Damascus Township


Section 33
Corner W $\frac{1}{4}$ SW
Date 5/7/1980
Marker Iron Pin
26.40' W to NE corner concrete corner post
39.02' E to iron pipe on top of east ditch bank



Section 33
Corner SW
Date 7/7/2010
Marker Small RR Spike
38.91' NNE to "+" center concrete wingwall
47.30' ENE to duplex W/side wood post
86.19' SW to "+" west end concrete wingwall
52.26' W to NW corner, Sec. 4, Richfield Twp.



Section 33
Corner S $\frac{1}{4}$
Date 7/7/2010
Marker Small RR Spike
67.40' WNW to center USC&G Δ Sta. Stoner-1947 (P)
28.81' N to "+" W/side concrete anchor post (leans south)
45.91' SSW to duplex W/side power pole
40.93' W to N $\frac{1}{4}$ post, Sec. 4, Richfield Twp.
70.46' SSE to "+" concrete foundation



Damascus Township

Section 34
Corner NW
Date 7/7/2010
Marker Nail/Shiner
31.84' NW to duplex NE/side telephone pole
57.74' NE to "+" in west bonnet bolt of fire hydrant
48.47' SE to duplex SW/side power pole
24.30' SSW to "+" SW corner concrete catch basin (P)

NW	

Section 34
Corner N¹/₄
Date 7/7/2010
Marker RR Spike
30.67' NW to duplex SW/side power pole
29.87' NNW to "+" north end 48" RCP (P)
28.72' SW to "+" south end 48" RCP (P)


N ¹ / ₄	

Section 34
Corner W¹/₄
Date 7/7/2010
Marker Nail/Shiner
83.62' NNE to duplex SE/side power pole
30.59' SE to "+" east end 84" RCP (P)
86.24' SSE to duplex NE/side power pole
28.93' SW to "+" west end 84" RCP (P)


W ¹ / ₄	

Damascus Township


Section 34
Corner CENTER
Date 7/7/2010
Marker Iron Pin
28.88' W to duplex N/side power pole
21.42' NE to 5/8" iron pin at edge of pavement
21.81' SE to 5/8" iron pin at edge of pavement



Section 34
Corner SW
Date 7/7/2010
Marker Iron Pin in Monument Box
32.39' SE to "+" in concrete headwall
42.48' WSW to center drill hole in headwall
28.71' W to NW corner, Sec. 3, Richfield Twp.
42.04' ENE to nail/shiner SW/side wood post
64.40' NE to nail/shiner SW/side power pole
66.79' NW to nail/shiner SE/side power pole



Section 34
Corner S¼
Date 7/7/2010
Marker Nail/Shiner
43.19' NW to duplex W/side power pole
36.97' SSW to duplex N/side power pole
30.82' W to N¼ post, Sec. 3, Richfield Twp.



Damascus Township

Section 35
Corner NW
Date 7/7/2010
Marker RR Spike
44.53' NW to duplex SW/side power ole
26.05' NW to "+" north end 48" RCP (P)
30.65' SW to "+" south end 48" RCP (P)
39.04' SE to mag nail east end plastic pipe (P)

NW	

Section 35
Corner N¹/₄
Date 7/7/2010
Marker Small RR Spike
35.73' NW to "+" SW corner catch basin (P)
23.47' NNE to "+" north end 48" RCP (P)
32.38' SSE to "+" south end 48" RCP (P)


N ¹ / ₄	

Section 35
Corner W¹/₄
Date 7/7/2010
Marker Iron Pin
26.68' NE to mag nail east end CMP (P)
28.97' SE to 5/8" iron pin at edge of pavement


W ¹ / ₄	

Damascus Township


Section 35
Corner W¹/₄ SW
Date 9/9/1975
Marker RR Spike
15.82' WNW to PK nail top 8" CMP
19.76' ENE to "+" west edge 24" dia. catch basin



Section 35
Corner SW
Date 7/7/2010
Marker Small RR Spike
24.45' S to "+" east end 48" RCP (P)
56.67' SW to "+" south end concrete headwall (P)
42.22' S to duplex E/side power pole
54.11' NNW to duplex E/side power pole
32.37' W to Richfield corner



Section 35
Corner S¹/₄ SW
Date 10/2/1975
Marker RR Spike
55.45' NW to duplex NE/side telephone pole
83.10' SE to duplex N/side power pole
103.24' WSW to PK nail top CMP (P)



Damascus Township

Section 35

Corner S¼

Date 7/7/2010

Marker RR Spike

37.11' SW to duplex NW/side power pole (leaning north)

25.51' N to "+" west end concrete headwall (P)

27.11' NE to "+" west end concrete headwall (P)

11.91' E to N¼ post, Sec. 2, Richfield Twp. (1979 tie)

	S¼

Damascus Township

Section 36
Corner NW
Date 7/26/2010
Marker Small RR Spike
45.56' NW to mag nail SE/side 30" tree
68.04' NE to mag nail SW/side 8" pine
33.04' SW to duplex NW/side power pole

NW	

Section 36
Corner N¼
Date 7/25/2010
Marker Set new RR Spike
25.17' N to "+" north end RCP (P)
25.49' S to "+" south end RCP (P)
52.27' SE to PK nail NW/side power pole


N¼	

Section 36
Corner NE
Date 7/26/2010
Marker Small RR Spike
45.33' NW to "+" SW corner catch basin (P)
35.27' SE to duplex SW/side power pole
29.89' SW to duplex NW/side underground cable marker post
28.63' SE to NE corner concrete catch basin (P)(1980 tie)


	NE

Damascus Township


Section 36
Corner W¹/₄
Date 7/26/2010
Marker Small RR Spike
64.85' NNW to duplex NE/side power pole (leaning east)
24.02' SW to mag nail south end plastic tile
26.07' NW to mag nail north end 12" plastic pipe



Section 36
Corner E¹/₄
Date 7/26/2010
Marker Small RR Spike
24.05' SE to 5/8" iron pin 2' east of edge of pavement
19.26' SW to 5/8" iron pin 2' west of edge of pavement
22.59' ENE to duplex NW/side power pole




Section 36
Corner SW
Date 7/26/2010
Marker Small RR Spike
54.23' WSW to "+" east end RCP (P)
38.92' SW to duplex SE/side power pole
43.24' SW to "+" west end RCP



Damascus Township

Section 36
Corner S¹/₄
Date _____
Marker See N¹/₄ Post, Sec. 1, Richfield Twp. (Common Corner)



Section 36
Corner SE
Date 7/26/2010
Marker Mag Nail in Bridge Deck
32.28' NE to SW corner bridge abutment (Wood Co.)
32.43' SE to NW corner bridge abutment (Wood Co.)

