



Townsl	nip	Ric	lgeville			
Point	A	Section	35	Date	Oct. 2005	
Marker	RR S	pike		1 4561		
54.75'	N.W. to	SE corner	of barn fo	undation		
44.00'	N.E. to	duplex S/s	ide new te	lephone po	ole	
55.63'	S.E. to d	luplex SW	/side powe	er pole		
Townsh	nip	Rid	lgeville			
Point	В	Section	35	Date	Oct. 2005	
Marker	Iron l	Pin				
97.73'	S.S.W. 1	o duplex V	W/side pov	ver pole		
85.95'	S.S.E. to	duplex S	W/side po	wer pole (P)	
				- 12 - 12 - XII - 11 - 1		
Townsh	nip	Rid	geville			
Point	D	Section	35	Date	Oct. 2005	
Marker	RR S	pike	10000000			
32.33'		ron pin (pi	operty cor	mer)		
		to duplex N			· · · · · · · · · · · · · · · · · · ·	
	57/	RR spike			t locate)	
22.75		-at spine	on occ. Dil	(214 110	· roome,	

Townsh	iip	Rio	lgeville			
Point	E	Section	35	Date	Oct. 2005	
Marker	RR S	Spike (Prop	erty Cor	mer)		
54.95' 1	N.E. to	new "+" se	outherly	side of man	hole rim	
33.70' 1	N.E. to	PK nail W	/side pov	wer pole (ne	w)	
19.62' 1	N.W. to	PK nail ii	n end of	CMP		
36.60' 1	N.N.W	to duplex	E/side p	ower pole		
				W 100 110 110 110 110 110 110 110 110 11		
Townsh	ip	Ric	lgeville			
Point	F	Section	35	Date	Oct. 2005	
Marker	RR S	pike				
83.40' V	W. to n	ear corner	block po	rch foundati	ion	
48.26' 1	N.W. to	corner of	house fo	undation		
52.21' N	N. to 60	d spike SI	E/side tel	ephone pole		
56.09' 1	N.E. to	duplex NV	V/side po	ower pole		
Townsh	ip	Ric	lgeville			
Point	G	Section	35	Date	Oct. 2005	
Marker	RR S	pike				
78.10' V	W. to na	ail/shiner l	V/side tel	lephone pole	2	
46.70' N	N.E. to	nail/shiner	SE/side	telephone p	ole	
75.05' I	E. to Pk	K nail SE/s	ide powe	er pole		
10.43' \$	S. to "+	" in E/side	man hol	le rim (did n	ot find)	
41.51' S	S. to PK	nail N/sic	le 27" ma	aple tree		

	nip	Rie	dgeville		
Point	Н	Section	35	Date	10/25/05
Marker	Smal	l RR Spik	e		
26.87'	N.W. to	"+" top o	f curb nea	r sidewalk	
43.43'	W. to be	ottom of "	Y" in Ken	nedy fire h	ydrant
30.29'	S. to "+	" in conc.	walk near	SW corne	r Giffey building
33.95'	E. to sa	wed "+" to	op conc. ci	urb near N	W corner Giffey building
Townsh	nip	Ric	dgeville		
Point	J	Section	35	Date	10/25/05
Mauleau	22.0	1			
Marker	RR S	ріке			
		•	+" in conc	. base of m	etal signal pole
37.49'	S.S.E. to	o sawed "-		. base of m	
37.49' 16.00'	S.S.E. to N. to "+	o sawed "- " in near s	side of ma	n hole fran	
37.49' 16.00' 76.85'	S.S.E. to "+ E. to "+	o sawed "- " in near s	side of ma	n hole fran	ne
37.49' 16.00' 76.85'	S.S.E. to "+ E. to "+	o sawed "- " in near s	side of ma	n hole fran	ne signal post
37.49' 16.00' 76.85'	S.S.E. to "+ E. to "+	o sawed "- " in near s	side of ma	n hole fran	ne signal post
37.49' 16.00' 76.85'	S.S.E. to N. to "+ E. to "+ S.S.W.	o sawed "- " in near s " in near a to corner o	side of ma	n hole fran	ne signal post
37.49' 16.00' 76.85' 42.41'	S.S.E. to N. to "+ E. to "+ S.S.W.	o sawed "- " in near s " in near a to corner o	side of manuscript of coping	n hole fran	ne signal post
37.49' 16.00' 76.85' 42.41'	S.S.E. to N. to "+ E. to "+ S.S.W.	o sawed "-" in near s " in near a to corner o	side of manning of coping of	n hole fran t of metal s (Ann Furn	ne signal post iture building) (No field check)
37.49' 16.00' 76.85' 42.41' Townsh Point Marker	S.S.E. to N. to "+ E. to "+ S.S.W.	o sawed "-" in near s " in near a to corner o	anchor boliof coping of digeville	n hole fram t of metal s (Ann Furn	ne signal post iture building) (No field check)
37.49' 16.00' 76.85' 42.41' Townsh Point Marker 48.58'	S.S.E. to N. to "+ E. to "+ S.S.W. hip K Iron 1 W. to "-	o sawed "-" in near s " in near s to corner of Ric Section Pin +" east cor	dgeville 35	n hole fram t of metal s (Ann Furn	ne signal post iture building) (No field check)
37.49' 16.00' 76.85' 42.41' Townst Point Marker 48.58' 38.42'	S.S.E. to N. to "+ E. to "+ S.S.W. hip K Iron 1 W. to "- N.W. to	o sawed "- " in near s " in near a to corner o Rio Section Pin +" east cor	dgeville 35	n hole fram t of metal s (Ann Furn	ne signal post siture building) (No field check) Oct. 2005 (Mina P. Woodburn)

.

Towns	hip	Ric	dgeville			
Point	L	Section	35	Date	Oct. 2005	
Marker	RR S	pike				
64.64'	S. to con	ner of por	ch foundatio	n		
49.33'	S.W. to	duplex SE	E/side power	pole		
28.17'	N. to sa	wed "+" w	esterly corne	er catch	basin	
Townsl	nip	Ric	lgeville			
Point	M	Section	35	Date	Oct. 2005	
Marker	5/8"]	ron Pin				
52.30'	S.W. to	PK nail N	E/side powe	r pole		
75.78'	E.N.E. t	o corner o	f brick house	e (20083	3 Rd. X)	
59.03'	S. to cor	ner of brid	ck house (20	097 Rd.	X)	
68.03'	W. to di	ıplex S/sic	le power pol	e		
Townsh	nip	Ric	lgeville			
Point	N	Section	26	Date	Oct. 2005	
Marker	Small	RR Spike	9			
45.80'	S. to dup	olex E/side	e power pole			
58.00'	W. to ea	st corner o	of brick vene	er		
38.03'	S.W. to	RR spike	on Section L	ine		

Towns	nip	Ric	dgeville		
Point	P	Section	26	Date	Oct. 2005
Marker	RR	Spike - 2" I	Below Su	rface	
39.99'	E.N.E.	to center o	f iron pip	e (property	corner)
27.84'	E.S.E.	to duplex V	V/side ma	aple (No fie	eld check)
48.47'	N. to d	uplex E/sid	e telepho	one pole (le	aning)
22.41'	S.E. to	chiseled "-	⊦" in bott	om flange l	oolt S/side of fire hydrant
Townsl	nip	Ric	lgeville		
Point	Q	Section	25	Date	Oct. 2005
Marker	RR	Spike			
39.55'	N. to d	uplex NE/s	ide telepl	hone pole	
62.89'	E.S.E.	to SW corn	er brick	house	
83.00'	E. to N	W corner b	rick hous	se	
55.02'	S. to di	uplex W/sig	de power	pole	
79.35'	S.W. to	duplex E/s	side pow	er pole	
				l crib found	lation
Townsi	nin	Dia	lgeville		
Point	R	Section	25	Date	Oct. 2005
Marker		Spike	23		Oct. 2003
		*	JW/side	power pole	
		corner of g		*	
					la.
				lephone pol	IC ,
08.50	E.S.E.	to corner o	garage 1	toundation	

			a		

Townsh	nip	Ric	dgeville		
Point	S	Section	25	Date	Oct. 2005
Marker	RR S	pike			
59.11'	S. to duj	olex in W	side pow	er pole	
55.52'	S.W. to	duplex SI	E/side bra	ce pole	
Townsh	nip	Rio	dgeville		
Point	T	Section	25	Date	Oct. 2005
Marker	RR S	pike			(1)
67.88'	N. to eas	st corner b	rick hous	se foundatio	n (No field check)
62.83'	N.N.E. t	o duplex	E/side tel	ephone pole	
83.12'	N.E. to	duplex NV	V/side po	wer pole	
54.82'	N.W. to	south cor	ner porch	foundation	(No field check)
64.71'	W. to ma	ag nail E/s	side mapl	e tree	
41.65'	N. to ma	ng nail W/	side map	le tree	
Townsh	nip	Ric	dgeville		
Point	U	Section	25	Date	Oct. 2005
Marker	RR S	pike			
84.55'	N.E. to	duplex E/s	side telep	none pole	
71.84'	E.N.E. t	o duplex \	W/side po	wer pole	1 M
18.19'	S.E. to i	ron pin (N	lo field cl	neck)	
29.22'	S. to duj	olex E/sid	e power p	oole	

Townsh	nip	Rio	dgeville			
Point	V	Section	25	Date	Oct. 2005	
Marker	Smal	l RR Spik	е			
84.13'	S.W. to	duplex W	/side pov	ver pole		
50.93']	N.E. to	PK nail N	W/side p	ower pole		
90.32'	W. to sr	nall PK na	il E/side	power pole		
Townsh	nip	Ric	lgeville			
Point	W	Section	24	Date	Oct. 2005	
Marker	Smal	l RR Spike	e 2' West	of East Edg	e of Pavement	
57.21' \$	S.S.W. 1	to small Pl	K nail W	/side power	pole	
Townsh	ip	Ric	lgeville			
Point	X	Section	24	Date	Oct. 2005	
Marker	RR S	pike				
22.34' \$	S.S.E. to	duplex S	W/side p	ower pole		
65.75' 1	N.E. to	iron pin in	conc. (p	roperty corn	er)	

Townsl	hip	Ric	dgeville			
Point	Y	Section	24	Date	Oct. 2005	
Marker	RR S	pike				
30.28'	E. to du	plex N/sid	e power	pole		
41.65'	W. to m	ag nail E/s	side crab	apple tree		
24.51'	W. to ir	on pin in c	onc. (pr	operty corner	•)	
Townsi	nip	Ric	lgeville			
Point	Z	Section	24	Date	Oct. 2005	
Marker	RR S	pike				
51.78'	E.N.E. t	o duplex l	N/side po	ower pole		
48.43'	S.E. to 1	W corner	brick p	orch foundati	on	
101.60	' S.W. to	duplex N	I/side po	wer pole		
			•			
Townsh	nip	Fre	edom			
Point	A1	Section	19	Date	2005	
Marker	RR S	pike				
30.14'	NNW to	duplex E	/side of j	power pole		
40.73'	NNW to	south cor	ner mac	hine shed		
39.76'	SE to ne	ear root of	sycamor	e tree		
31.31'	E to 5/8	" iron pin	1' south	of east berm		

Townsh	nip	Fre	eedom		
Point	B1	Section	19	Date	2005
Marker	RR S	pike			
64.80'	N to sou	th corner	house founda	ation	
37.01'	E to dup	lex, N/sid	e power pole	•	¥
103.44	W to d	uplex N/s	ide power po	le	
20.14'	ESE to	duplex, ne	ar root 30" ti	ree	
Townsh	ip	Fre	edom		
Point	C1	Section	19	Date	8/20/2012
Marker	Mag l	Nail			1 0
14.66'	W to du	plex N/sid	e end post of	f guard ra	ail
18.73'1	VW to "	+" W/end	concrete hea	dwall	
82.81'1	NE to di	ıplex N/si	de brace pole	е	
87.45']	ENE to	duplex S/s	side power po	ole	
27.66' N	I to "+"	E/end cor	ncrete headw	all	
Townsh	ip	Fre	edom		
Point	D1	Section	19	Date	8/20/2012
Marker	Mag I	Vail			
26.14' V	W to dup	olex N/sid	e end post of	guard ra	nil
21.26' 1	VW to "	+" W/end	concrete hea	idwall	,
72.14' N	NE to du	iplex W/s	de brace pol	e	
75.80' 1	ENE to	duplex S/s	side power po	ole	
23.37' N	I to "+"	east end o	oncrete head	lwall	

Townsh	ip	Fre	edom			
Point	E1	Section	19	Date	2005	
Marker	Iron I	Pin				
15.95' 1	NW to c	luplex nea	r root o	of maple tree		
23.95'	W to du	plex S/sid	e teleph	one pole		
107.65	SW to	duplex S/s	side pov	wer pole		
111.17	WSW	to duplex	N/side	brace pole		
Townsh	ip	Fre	edom			
Point	F1	Section	19	Date	2005	
Marker	RR S	pike				
19.87' N	V to iron	n pin				
52.61' N	NE to di	uplex SE/s	ide pov	ver pole		
43.96' I	E to dup	lex N/side	power	pole		
Townsh	ip	Fre	edom			
Point	G1		19	Date	2005	
Marker	RR S ₁	oike				
16.70' N	VW to 5	/8" iron p	in at eas	st berm		
77.34' V	V to 5/8	" iron pin	at east	berm		
59.45' S	SW to di	uplex in N	W side	of power po	le	
7						

Townsh	ip	Fre	eedom			
Point	H1	Section	19	Date	2005	
Marker	RR S	pike				
17.78' N	NNW to	o 5/8" iron	pin at e	ast berm		
				of walnut tr	ee	
62.90' S	SW to c	luplex NW	//side po	wer pole		
Townsh	ip	Fre	edom			
Point	J1	Section	19	Date	2005	
Marker	RR S	pike				
42.62' N	NE to	duplex SE	E/side po	wer pole		
				foundation		
82.56' S	E to no	orth corner	barn fo	undation		
14.92' V	V to ne	ar corner o	of banist	er		
Townshi	ip	Fre	edom			
Point	K1	Section	19	Date	2005	
Marker .	RR S	pike				
No Ties	, see S	heet 2 of C	Center Li	ne Control I	Drawing	

Towns	hip	Fre	eedom			
Point	L1	Section	18	Date	2005	
Marker	Iron I	Pin				
78.96'	NNW to	near leg	of transi	mission line		
28.22'	NNE to	duplex SI	E/side ca	ıble marker		
82.48'	ENE to	duplex N/	side pov	ver pole		
38.55'	E to du	olex N/sid	e brace 1	pole		
				oipe in concre	ete	
Townsh	nip	Fre	edom			
Point	M1	Section	18	Date	2005	
Marker	Iron I	Pin				
No Tie	s, see S	heet 2 of 0	Center L	ine Control I	Drawing	
					8	
and the second						
	-					
			W-11/2/202			
×						
Townsh	nip	Fre	edom			
Point	N1	Section	17	Date	2005	
Marker	RR S	pike				
36.12'	SE to du	ıplex W/si	de 8" tre	ee		
23.47'	SSE to r	near corne	r founda	tion of grave	stone	
marked	l 'Lingle	'				
39.71'	SW to n	ear corner	founda	ation of grave	e stone	
marked						
32.98'	SW to d	uplex NW	/side po	wer pole		

Townsi	nip	Fre	eedom				
Point	P1	Section	17		Date	2005	
Marker	RR S	pike					
37.15'	NNE to	PK nail S	E/side	wood	post		
25.78'	NW to	5/8" iron p	in on d	itch b	ank		
48.96'	SW to 5	5/8" iron p	in on e	dge of	pavem	ent	
PK nai	ls 6' sou	ith and we	st				
Townsh	nip	Fre	edom				
Point	Q1	Section	17		Date	2005	
Marker	Iron l	Pin					
32.64'	NNW to	duplex W	//side c	of pow	er pole		
53.26'	WNW t	o PK nail	in end o	of CM	P (Plur	nbed)	
50.80'	WSW to	PK nail i	n end c	of CM	P (Plun	nbed)	
Townsh	nip	Fre	eddom				
Point	R1	Section	17		Date	2005	
Marker	RR S	pike					
9.53' S		on pin SE/	side Ro	oad X			7
		on pin SE					
	20.000	plex S/sid					
		-		•			
			-				

Townsh	ip	Fre	edom				
Point	S1	Section	17		Date	2005	
Marker	RR S	pike					
101.10	NNE to	o duplex S	/side	of powe	r pole		
73.82' 1	ENE to	duplex S/s	side of	fpower	pole		
89.23' \$	SE to so	outh corner	r, cond	crete sto	op at o	verhead door	
44.99'	WSW to	duplex S	/side	of cable	markei		
79.22' H	ENE to	duplex N/s	side of	f light p	ole		
Townsh	ip	Fre	edom				
Point	T1	Section	17		Date	2005	
Marker	RR S	– pike					
38.97' N	-	uplex SE/s	side of	power	pole		
		olex N/side				t	
93.37' \	W to du	plex S/side	e of po	ower po	le		
			Г	r			
Townsh	ip	Fre	edom				
Point	U1	Section	17		Date	2005	
Marker	RR S	pike					
64.47' N	NW to	duplex W	//side	of brace	pole		
		ıplex S/sic					
		plex W/si		7			
		•					

Townsh	nip	Fre	eedom			
Point	W1	Section	16	Date	2005	
Marker	RR S	Spike				
50.25' \$	SSW to	"+" cente	r of conc	rete headwa	all	
28.55']	NW to	"+" north	end of co	ncrete pipe		
46.96' 1	NNE to	duplex SI	E/side of	power pole		
61.04'	ENE to	nail & shi	iner N/sid	le of wood	pole	
55 58' I	ENIE to	duplex N/	/a: da a C	ower nole		
33.30 I	SINE 10	duplex 14/	side of po	ower pore		
33.30 1	ENE 10	duplex 14/	side of po	ower pole		
Townsh			eedom	ower pole		
			•	Date	3/28/16	
Townsh	nip	Fre Section	eedom		3/28/16	
Townsh Point Marker	X1 Iron	Free Section	eedom 16			
Townsh Point Marker 111.19	X1 Iron SW to	Free Section	eedom 16 iner NW/s	Date		
Townsh Point Marker 111.19' 96.30' S	X1 Iron SW to	Section Pin nail & shi	eedom 16 iner NW/s of red brid	Date	er pole	
Townsh Point Marker 111.19' 96.30' \$	X1 Iron SW to SE to N	Free Section Pin nail & shi IE corner of duplex N	eedom 16 iner NW/s of red bric E/side of	Date side of pow	er pole	