

**LEGAL NOTICE  
NOTICE TO CONTRACTORS**

Sealed proposals will be received at the residence/ Township Hall of Ridgeville Township, 20- 601 US 6 Ridgeville Corners OH 43555, Fiscal Officer, Cheryl Bostelman, or mail to: PO Box 65 Ridgeville Corners OH 43555 until Thursday, July 8th, 2021 at 7:00 P.M. for the improvement of the following Township roads:

**Chip and Seal and Fog Coat**

Township Road 20 From US 6 to Road S  
Township Road 20 From Road U to Road V  
Township Road T From Road X to Road 19 (fog seal included)  
Township Road V From Road 21 to Road 22  
Township Road 22 From US 6 to Road S  
Township Road 22 From US 6 to Road US 34  
Township Road 22 From US 34 to Road U1  
Township Road U From Road X to Road 21A  
Township Road 22 From U1 to Road W  
Quality Drive From US 6 to End of Pavement (fog seal included)

Ridgeville Township, Henry County, Ohio, in accordance with estimates and specifications on file with the Ridgeville Township Fiscal Officer.

Bidding documents are available online at [www.henrycountyengineer.com](http://www.henrycountyengineer.com)

Bids are to be submitted on a unit price basis.

The contracts will be awarded to the lowest, competent and responsible bidder.

Each bidder is required to file with his bid a bid guaranty in the form of either:

1. A bond for the full amount of the bid; or
2. A certified check, cashier's check or letter of credit pursuant to Chapter 1305 of the Ohio Revised Code, in the amount of ten (10%) percent of the bid price as guarantee that, if the contract be awarded on such bid, the bidder will enter into a contract and the performance of it will be properly secured.

The successful bidder, if using a (10%) bid guaranty, shall be required to provide a contract performance and payment bond for the full amount of the bid.

Estimated cost of the improvements is:                      \$177,110.00

Prevailing Wage Rates per Section 4115 of the Ohio Revised Code shall prevail on this project.

The Board of Trustees reserves the right to award separate contracts for the above noted improvements. The Board of Trustees reserves the right to reject any or all bids.

BY ORDER OF  
THE BOARD OF TRUSTEES  
RIDGEVILLE TOWNSHIP  
HENRY COUNTY, OHIO

Cheryl Bostelman, Fiscal Officer  
PO Box 65  
Ridgeville Corners OH 43555

## ROAD BIDDING BLANK

To:		Board of Trustees				
		Ridgeville Township Road impr			July 8th, 2021 @ 7:00 PM	
		Henry County, Ohio				
Road 20 b/ US 6 and Road S						
Length: 3095 Feet or 0.59 Mile(s)						
Width: 15 Feet (Approx. 5190 S.Y. including radius and driveway work)						
Type: Chip Seal, 1997 ODOT Spec 409						
Ref. #	Item	Quantity	Unit	Description	Unit Price	Total Price
1	409	2,080	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	55	C.Y.	Seal Coat, aggregate No. 89 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
4	624	1	L.S.	Mobilization	\$ _____	\$ _____
5	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
<b>Total Bid</b>						<b>\$ _____</b>

## ROAD BIDDING BLANK

To:		Board of Trustees				
		Ridgeville Township Road impr			July 8th, 2021 @ 7:00 PM	
		Henry County, Ohio				
Road 20 b/ Road U and Road V						
Length: 5290 Feet or 1 Mile(s)						
Width: 16 Feet (Approx. 9465 S.Y. including radius and driveway work)						
Type: Chip Seal, 1997 ODOT Spec 409						
Ref. #	Item	Quantity	Unit	Description	Unit Price	Total Price
1	409	3,790	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	95	C.Y.	Seal Coat, aggregate No. 89 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
4	624	1	L.S.	Mobilization	\$ _____	\$ _____
5	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
<b>Total Bid</b>						<b>\$ _____</b>

## ROAD BIDDING BLANK

To:	Board of Trustees	
	Ridgeville Township Road impr	July 8th, 2021 @ 7:00 PM
	Henry County, Ohio	

Road T b/ Road X and Road 19  
 Length: 5580 Feet or 1.06 Mile(s)  
 Width: 17 Feet (Approx. 10645 S.Y. including radius and driveway work)  
 Type: Chip Seal, 1997 ODOT Spec 409 W/ Fog Seal

Ref. #	Item	Quantity	Unit	Description	Unit Price	Total Price
1	409	4,260	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	110	C.Y.	Seal Coat, aggregate No. 89 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	Spec.	1,600	Gal	Fog Seal, SS-1H Dilute 50/50, Applied at 0.10-0.15 gal per square yard	\$ _____	\$ _____
4	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
5	624	1	L.S.	Mobilization	\$ _____	\$ _____
6	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
<b>Total Bid</b>						<b>\$ _____</b>

## ROAD BIDDING BLANK

To:	Board of Trustees	
	Ridgeville Township Road impr	July 8th, 2021 @ 7:00 PM
	Henry County, Ohio	

Road V b/ Road 21 and Road 22  
 Length: 5235 Feet or 0.99 Mile(s)  
 Width: 12 Feet (Approx. 7030 S.Y. including radius and driveway work)  
 Type: Chip Seal, 1997 ODOT Spec 409

Ref. #	Item	Quantity	Unit	Description	Unit Price	Total Price
1	409	2,815	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	70	C.Y.	Seal Coat, aggregate No. 89 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
4	624	1	L.S.	Mobilization	\$ _____	\$ _____
5	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
<b>Total Bid</b>						<b>\$ _____</b>

## ROAD BIDDING BLANK

To: Board of Trustees						
Ridgeville Township Road impr					July 8th, 2021 @ 7:00 PM	
Henry County, Ohio						
Road 22 b/ US 6 and Road S						
Length: 5240 Feet or 0.99 Mile(s)						
Width: 17.5 Feet (Approx. 10235 S.Y. including radius and driveway work)						
Type: Chip Seal, 1997 ODOT Spec 409						
Ref. #	Item	Quantity	Unit	Description	Unit Price	Total Price
1	409	4,095	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	105	C.Y.	Seal Coat, aggregate No. 89 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
4	624	1	L.S.	Mobilization	\$ _____	\$ _____
5	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
<b>Total Bid</b>						<b>\$ _____</b>

## ROAD BIDDING BLANK

To: Board of Trustees						
Ridgeville Township Road impr					July 8th, 2021 @ 7:00 PM	
Henry County, Ohio						
Road 22 b/ US 6 and US 34						
Length: 1400 Feet or 0.27 Mile(s)						
Width: 15.5 Feet (Approx. 2430 S.Y. including radius and driveway work)						
Type: Chip Seal, 1997 ODOT Spec 409						
Ref. #	Item	Quantity	Unit	Description	Unit Price	Total Price
1	409	975	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	25	C.Y.	Seal Coat, aggregate No. 89 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
4	624	1	L.S.	Mobilization	\$ _____	\$ _____
5	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
<b>Total Bid</b>						<b>\$ _____</b>

## ROAD BIDDING BLANK

To:		Board of Trustees				
		Ridgeville Township Road impr			July 8th, 2021 @ 7:00 PM	
		Henry County, Ohio				
Road 22 b/ US 34 and Road U1						
Length: 5165 Feet or 0.98 Mile(s)						
Width: 16.5 Feet (Approx. 9520 S.Y. including radius and driveway work)						
Type: Chip Seal, 1997 ODOT Spec 409						
Ref. #	Item	Quantity	Unit	Description	Unit Price	Total Price
1	409	3,810	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	95	C.Y.	Seal Coat, aggregate No. 89 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
4	624	1	L.S.	Mobilization	\$ _____	\$ _____
5	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
<b>Total Bid</b>						<b>\$ _____</b>

## ROAD BIDDING BLANK

To:		Board of Trustees				
		Ridgeville Township Road impr			July 8th, 2021 @ 7:00 PM	
		Henry County, Ohio				
Road U b/ Road X and Road 21A						
Length: 11350 Feet or 2.15 Mile(s)						
Width: 18.5 Feet (Approx. 23440 S.Y. including radius and driveway work)						
Type: Chip Seal, 1997 ODOT Spec 409						
Ref. #	Item	Quantity	Unit	Description	Unit Price	Total Price
1	409	9380	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	235	C.Y.	Seal Coat, aggregate No. 89 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
4	624	1	L.S.	Mobilization	\$ _____	\$ _____
5	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
<b>Total Bid</b>						<b>\$ _____</b>

## ROAD BIDDING BLANK

<b>ROAD BIDDING BLANK</b>						
Road 22 b/ Road U1 and Road W						
Length: 9245 Feet or 1.75 Mile(s)				July 8th, 2021 @ 7:00 PM		
Width: 16.5 Feet (Approx. 16990 S.Y. including radius and driveway work)						
Type: Chip Seal, 1997 ODOT Spec 409						
Ref. #	Item	Quantity	Unit	Description	Unit Price	Total Price
1	409	6800	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	170	C.Y.	Seal Coat, aggregate No. 89 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
4	624	1	L.S.	Mobilization	\$ _____	\$ _____
5	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
<b>Total Bid</b>						<b>\$ _____</b>

## ROAD BIDDING BLANK

Quality Drive b/ US g and End of Pavement

Length: 1960 Feet or 0.37 Mile(s)

July 8th, 2021 @ 7:00 PM

Width: 24 Feet except at entrance (Approx. 5800 S.Y. including radius and driveway work)

Type: Chip Seal, 1997 ODOT Spec 409 w/ Fog Seal

Ref. #	Item	Quantity	Unit	Description	Unit Price	Total Price
1	409	2315	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	61	C.Y.	Seal Coat, aggregate No. 89 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	Spec.	870	Gal	Fog Seal, SS-1h Dilute 50/50, Applied at 0.10-0.15 gal per square yard		
4	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
5	624	1	L.S.	Mobilization	\$ _____	\$ _____
6	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
7	643	2	EA	Right Turn Arrow (includes premarking)	\$ _____	\$ _____
8	643	2	EA	Left Turn Arrow (includes premarking)	\$ _____	\$ _____
9	643	1	EA	Solid Stop Bar (includes premarking)	\$ _____	\$ _____
10	643	0.04	Miles	Edge Line Striping (4") at Entrance Radius (includes premarking)	\$ _____	\$ _____
11	643	1	EA	Turn Lane Separation Line (includes premarking)	\$ _____	\$ _____
12	643	0.4	Miles	Centerline Striping (4") (includes premarking)	\$ _____	\$ _____
<b>Total Bid</b>						<b>\$ _____</b>
<b>Total Entire Bid</b>						<b>\$ _____</b>

Road Bid Blank Continued

**Date of Sale:** Thursday, July 8th, 2021 at 7:00 P.M.

**Chipseal and Fog Coating of Various Roads**

All work and material contracted for seal coating shall meet the requirements of the 1997 State of Ohio, Department of Transportation, Construction and Material Specifications. All other work shall meet the requirements of the State of Ohio, Department of Transportation, Construction and Material Specifications in effect on the date of sale, together with any modifications to the same stated herein. **This includes removing grass and other debris from the road surface.**

Aggregate used for seal coating shall be state approved quarry run mineral aggregate.

**Fog seal coating shall be applied no less than 7 days after chip seal work is performed.**

Spreading and placement of asphalt shall be done with full width paving equipment.

“Formed” or “Butt Type” construction joints shall be constructed at all pavement termini unless otherwise directed by the Township Trustees.

The asphalt binder grade for all asphalt concrete specified shall be PG 64-22.

Aggregate used in the asphalt concrete mix and for seal coating shall be State approved quarry run mineral aggregate.

Cut back asphalt may be used on applicable bid items between the period of October 15<sup>th</sup> and April 15<sup>th</sup>.

There are no restricted construction dates for the use of cut backs for penetration prime coat, maintenance mix or dust control.

Prevailing Wage Rates per Section 4115 of the Ohio Revised Code shall prevail on this project. A copy of the applicable wage rates may be obtained from the State of Ohio Wage and Hour Division via the internet at the following web site:

<http://www.com.ohio.gov/laws>

Should the bidder not have access to the internet, a complete set of the applicable wage rates are available at the office of the Henry County Engineer. A copy will be provided if requested.

Contractors are required to furnish the Township with a certificate of insurance in the minimum amount of \$1,000,000.00 primary and \$1,000,000.00 umbrella coverage. The Township, its elected office and employees shall be named as additional insured with respect to all activities under any agreement resulting from this bidding. The certificate of insurance shall provide that such insurance shall not be cancelled without thirty (30) days prior written notice to the Township. Contractors will replace certificate for any insurance expiring prior to the effective end date under any agreement resulting from this bidding.

Contractors shall maintain Worker’s Compensation coverage as required by Ohio law. A copy of a valid Worker’s Compensation certificate shall be submitted with the bid.

The Contractor shall indemnify and hold harmless the Township, its agents and employees from any and all losses, claims, damages, lawsuits, costs, judgments, expenses or any other liabilities which they may incur as a result of bodily injury, sickness, disease or death, or injury to or destruction of tangible property including the loss of use resulting therefrom, caused in whole or part by the negligent act or omission of the Contractor or any person directly or indirectly employed by any of them or any person for whose act any of them may be liable.

Accompanying this proposal is a bid guaranty in the form of either:

- 1) A bond for the full amount of the bid, on the above improvement; or



2) A certified check, cashier's check or letter of credit pursuant to Chapter 1305 of the Ohio Revised Code, in the amount of ten percent (10%) of the bid on the above improvements, payable to the order of the Board of Trustees, RIDGEVILLE TOWNSHIP, which check or bond is to be forfeited if, in case this proposal is accepted, the undersigned shall fail to execute a contract within ten (10) days of Notice of Award.

This contract shall be under the direct supervision of the Ridgeville Township Trustees and the Henry County Engineer.

All items are approximate, and final measurement of completed items will govern final payment.

In the event of discrepancy between the unit and total price bid, the unit price shall prevail. The unit prices shall remain in effect and held firm for the term of this contract. ODOT Item 401.20 Asphalt Binder price adjustment does not apply.

The Contractor shall be responsible for all construction one (1) year after project completion and acceptance. The Contractor shall make all corrections as necessary by reason of noted defects. The Trustees will give notice of observed defects with reasonable promptness. In the event that the Contractor fails to make repairs, adjustments or complete other work which may be required by such defects, the Trustees may do so and charge the Contractor the costs incurred.

The Board of Trustees reserve the right to award separate contracts on the various roads described. The Board of Trustees further reserves the right to reject any or all bids.

The seal coating and resurfacing shall be completed on or before September 15, 2021

For each calendar day that any work shall remain uncompleted after the stated completion date the appropriate sum, in accordance with the schedule of liquidated damages per Section 108.07 of the Standard Specifications of the State of Ohio Department of Transportation, will be deducted from any monies due the Contractor, not as a penalty but as liquidated damages; provided however, that due account shall be taken of any adjustment of the completion date granted by the Board of Trustees of Ridgeville Township.

A work day will be counted as lost if the Contractor's efficiency is reduced more than fifty (50%) percent on the critical items under construction at that time. Weekends and holidays will not be counted as lost work days.

Submitted By: \_\_\_\_\_  
CONTRACTOR

Address: \_\_\_\_\_

\_\_\_\_\_

Signed By: \_\_\_\_\_  
Name/Title

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_